UNCLASSIFIED

AD 298 261

Reproduced by the

RMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specializations or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U.S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.



65 8 6



meteorology research, inc. • 2420 n. lake avc. • altadena, calif.

VERTICAL DIFFUSION FROM A LOW ALTITUDE LINE SOURCE

- DALLAS TOWER STUDIES - Volume II

DATA SUMMARY

Final Report

to

U. S. Army Chemical Corps Dugway Proving Ground

Contract DA-42-007-CML-504

by

P. B. MacCready, Jr. T. B. Smith M. A. Wolf

December 1961

Meteorology Research, Inc. 2420 North Lake Avenue Altadena, California

PREFACE

This volume presents a summary of data obtained during a series of diffusion tests conducted near the Dallas TV tower during the periods of April, June, and August, 1961. Analysis of the diffusion results carried out by Meteorology Research, Inc. under Contract DA-42-007-CML-504 with Dugway Proving Ground are given in Volume I of this report. The basic test data and a portion of the routinely processed data are given in Volume II for the benefit of any workers who may wish to carry out additional analyses.

Data sources and procedures for calculating geostrophic winds, effective turbulence sigmas and mean wind velocity are given in Volume I.

TABLE OF CONTENTS

| | Pa | ge |
|-------|---|-------------|
| PREF. | ACE | i |
| I. | SYNOPTIC WEATHER SITUATION | 1 |
| | A. First Test SeriesB. Second Test SeriesC. Third Test Series | 1 2 2 |
| II. | GEOSTROPHIC WINDS | 4 |
| III. | EFFECTIVE TURBULENCE SIGMAS AND AVERAGE WINDS | 4 |
| IV. | TEST SUMMARIES | 5 |
| v. | GROUND DOSAGES | 6 |

I. SYNOPTIC WEATHER SITUATION

A. First Test Series

1. Trials 1, 2, 3; April 17-18, 1961

The Dallas area was under the influence of southeasterly winds associated with a N-S high pressure ridge in Missouri-Arkansas-Louisiana. A weak high pressure center was located in the Gulf of Mexico. Few clouds were present anywhere in northern Texas and southern Oklahoma throughout the night.

2. Trials 4, 5; April 19, 1961

A strong low pressure center was located in western Nebraska and strong southerly winds were present in the Dallas area as a result of the intense pressure gradient. A few scattered cumulus existed in the Dallas area during the early evening. Cloudiness increased to a stratocumulus overcast at 2500 feet by midnight and caused cancellation of the scheduled third test of the night.

3. Trials 6, 7, 8; April 22-23, 1961

A strong low pressure center was located in western Nebraska with strong southerly winds in the Dallas area. The tests were conducted under a high broken to overcast cover of altocumulus clouds.

4. Trials 9, 10, 11; April 25-26, 1961

A surface cold front had passed through the northern Texas area about twelve hours prior to the beginning of the tests. A small high pressure center was located in northern Oklahoma by test time. During the night, the Dallas area was under the influence of the cool air behind the front. Surface winds veered from northerly to easterly during the night as the high pressure center moved eastward. No clouds were present during the night.

5. Trial 12; April 28, 1961

A high pressure center was located in Missouri and east to southeast winds prevailed in the Dallas area. High scattered clouds were present at the time of the test. Light, variable winds at test time resulted in cancellation of the remainder of the tests for the night.

B. Second Test Series

1. Trials 13, 14, 15; June 5-6, 1961

Southerly winds existed in the Dallas area throughout the night, associated with an extensive high pressure area covering southeast United States and extending into the Atlantic. Scattered stratocumulus and altocumulus clouds were present during the tests. Overcast conditions with thunderstorms occurred shortly after the last test.

2. Trials 16, 17, 18; June 6-7, 1961

The general pressure pattern and wind flow were similar to the previous night: Broken stratocumulus clouds at around 10,000 feet increased to overcast for Trials 17 and 18.

3. Trial 19; June 8, 1961

A southerly wind flow existed in the Dallas area associated with a high pressure area centered off the Atlantic coast. A squall line or weak front moved through the area during the late evening accompanied by extensive thunderstorms. The test was conducted with scattered thunderstorms in the area and a heavy thunderstorm passed over the Cedar Hill area 1-2 hours after release.

4. Trials 20, 21; June 12-13, 1961

Southerly winds in the Dallas area were associated with a high pressure area centered off the Atlantic coast. Clear skies existed for the two tests. Shortly after midnight the development of low stratus clouds at about 2000 feet caused cancellation of the third test of the night.

5. Trials 22, 23, 24; June 13-14, 1961

The wind flow and pressure patterns were similar to the previous night. Scattered altocumulus clouds existed for Trial 22 but decreased for the second test. Low stratocumulus clouds developing after midnight caused a last minute cancellation of Trial 24 after all instrumentation and sampling was already in operation.

C. Third Test Series

1. Trials 25, 26, 27; August 7-8, 1961

A general southerly flow existed over eastern Texas. Variable broken to overcast altocumulus and stratocumulus above 4000 feet continued throughout the night.

2. Trials 28, 29, 30; August 9-10, 1961

A typical southerly flow prevailed over the Dallas area, associated with high pressure off the Atlantic coast. Thin, broken altocumulus clouds were present during the first two tests, becoming clear for the third test of the night.

3. Trials 31, 32, 33; August 11-12, 1961

Southerly winds prevailed during the night. A weak, stationary frontal trough remained in the vicinity of central Oklahoma-northwest Texas but did not appreciably affect the Dallas area. Scattered to broken cumulus clouds at about 8000 feet were present through the first two tests becoming clear prior to the third test of the night.

4. Trial 34; August 14, 1961

Wind flow in the Dallas area was from the southeast, associated with a high pressure area centered in Virginia. Scattered altocumulus and overcast cirrus existed through the first test and low stratus clouds developing shortly after midnight caused cancellation of the two remaining tests for the night.

5. Trials 35, 36; August 16-17, 1961

An easterly flow existed in the Dallas area, resulting from a high pressure area centered in the Great Lakes region. High, thin, scattered to broken clouds existed through the first two tests, but low stratus clouds developing after midnight caused cancellation of the third test.

6. Trials 37, 38; August 18-19, 1961

A general easterly flow existed in the Dallas area as a result of a band of high pressure extending across the middle latitudes of the United States. The principal high pressure center was located in North Dakota. High, thin, overcast clouds existed during the first test, gradually decreasing to scattered for the second test. The University of Texas meteorological observational system on the tower failed immediately prior to the second test, and no further tests were run during the night.

II. GEOSTROPHIC WINDS

Geostrophic Winds

| Trial | Wind | Trial | Wind |
|-------|--------|------------|------------|
| 1 | 21 mph | 20 | 29 mph |
| 2 | 23 | 21 | 28 |
| 3 | 24 | 22 | 3 6 |
| 4 | 56 | 23 | 28 |
| 5 | 50 | 24 | no test |
| 6 | 50 | 25 | 20 |
| 7 | 50 | 26 | 19 |
| 8 | 54 | 27 | 19 |
| 9 | 22 | 28 | 28 |
| 10 | 20 | 29 | 25 |
| 11 | 21 | 30 | 26 |
| 12 | 32 | 3 1 | 20 |
| 13 | 26 | 32 | 17 |
| 14 | 18 | 33 | 12 |
| 15 | 18 | 34 | 14 |
| 16 | 17 | 35 | 12 |
| 17 | 27 | 36 | 12 |
| 18 | 33 | 37 | 14 |
| 19 | 15 | 38 | 13 |

III. EFFECTIVE TURBULENCE SIGMAS AND AVERAGE WINDS

Effective Turbulence Sigmas and Average Winds

| Trial | Release Height | i (degrees) | ū (mph) |
|-------|--------------------|-------------|---------|
| 1 | 380 feet | 1.65 | 9. |
| 2 | 380 | 1.94 | 14.9 |
| 3 | 380 | 2.24 | 15.8 |
| 4 | 680 | 3.87 | 31.7 |
| 5 | 680 | 3.51 | 31.1 |
| 6 | 38 0 | 5.50 | 29.6 |
| 7 | 680 | 4.22 | 31.1 |
| 8 | 980 | 2.46 | 35, 5 |
| 9 | 680 | . 96 | 19.5 |
| 10 | 680 | .93 | 25.8 |
| 11 | 380 | 2.90 | 23.5 |
| 12 | 980 | 0.55 | 8.2 |
| 13 | no surface samplin | g | |

| Trial Release Height | | i _e (degrees) | ū (mph) |
|----------------------|--------------------|--------------------------|---------|
| 14 | no surface samplin | g | |
| 15 | no surface samplin | | |
| 16 | 750 | . 84 | 16.6 |
| 17 | 600 | 2. 92 | 23.5 |
| 18 | 450 | 4.57 | 20.7 |
| 19 | 450 | 4.32 | 8.4 |
| 20 | 750 | 2.55 | 23.0 |
| 21 | 750 | 2.32 | 21. 2 |
| 22 | 1050 | 1.74 | 27.4 |
| 23 | 1050 | 2.55 | 24. 2 |
| 25 | 150 | 3. 51 | 14.5 |
| 26 | 450 | 1.66 | 16. 2 |
| 27 | 450 | 2.80 | 17.1 |
| 28 | 750 | 2.40 | 19. 2 |
| 29 | 750 | 2.50 | 20.8 |
| 30 | 450 | 3. 92 | 17.4 |
| 31 | 1050 | . 88 | 19.2 |
| 32 | 750 | 1.17 | 15. 7 |
| 33 | 450 | 2.18 | 17.2 |
| 34 | 450 | . 87 | 11.9 |
| 35 | 450 | 3. 19 | 15. 0 |
| 36 | 450 | 2.32 | 10.6 |
| 37 | 450 | 2.00 | 16.0 |
| 38 | 450 | 2.00 | 10.0 |

IV. TEST SUMMARIES

Summaries of all test data are plotted in the odd numbered Figures II-1 to II-73. Tabular summaries of the tower data are given in Tables II-1 to II-37. The plotted summaries include the following items:

- 1) Tower dosage vs. height
- 2) Ground dosage vs. distance
- 3) Mean wind velocity (u) vs. height
- 4) Wind direction vs. height
- 5) σ_{180} (turbulence sigma) vs. height
- 6) Vertical velocity variance $(u^2 \sigma_{180}^2)$ vs. height
- 7) Richardson number vs. height

Richardson number calculated:

| in layer from | and plotted at |
|---------------|----------------|
| 30-300 feet | 150 feet |
| 300-600 | 450 |
| 600-900 | 750 |
| 900-1200 | 1050 |

8) Vertical temperature gradients vs. height and compared to dry adiabatic lapse rate.

Temperature differences calculated:


| in layer from | and plotted at | | | | | | |
|---------------|----------------|--|--|--|--|--|--|
| 70-150 feet | 110 feet | | | | | | |
| 150-300 | 225 | | | | | | |
| 300-450 | 375 | | | | | | |
| 450-600 | 525 | | | | | | |
| 600-750 | 675 | | | | | | |
| 750-900 | 825 | | | | | | |
| 900-1050 | 975 | | | | | | |
| 1050-1200 | 1125 | | | | | | |
| 1200-1300 | 1250 | | | | | | |
| | | | | | | | |

V. GROUND DOSAGES


Maps of the sampler lines for each test are shown in the even numbered Figures II-2 to II-74 together with ground dosages observed at each sampler. Dosage values have been corrected to a uniform release rate of 2.5 lbs. of FP per mile. Laboratory assessments indicate an average of 1.24 x 10^{10} particles per gram.* All dosage values are given in units of particles-minute/foot³.

The aircraft release line and prevailing wind direction at release height are also shown on each map.

^{*} Disseminator efficiency is assumed to be 39%, i.e. 5.47 x 10^{12} particles are released per mile.



SUMMARY OF TRIAL DATA, TRIAL 1, APRIL 17, 1961, 2019 CST Fig. II-1:



TRIAL 1; 2019 CST 4-17-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-2

TABLE II - 1

TRIAL 1

APRIL 17, 1961

2019 CST

| Height | Total | Temp. | Wind | Wind | Verti | cal | | Ri | Velocity | Δθ |
|--------|------------|-------|-------|--------|-------|--------|------|------|----------|----------------------------|
| Above | Dos- | - | Speed | Direc- | Sigma | a (DEC | G) | No. | Vari- | $\frac{\Delta\theta}{u^2}$ |
| Base | age | | | tion | | | | | ance | |
| (FT) | <u>(1)</u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | 3 |
| 1420 | 0 | 65.8 | 9. 3 | 186. 2 | | | | | | |
| 1300 | 0 | 66.3 | 10.0 | 183.4 | | | | | | |
| 1200 | 0 | 67.0 | 10.0 | 182.3 | | | | | | |
| 1050 | 0 | 67.6 | 10.6 | 182. 2 | 0.99 | 1.02 | 1.18 | 1.55 | . 10 | .013 |
| 900 | 0 | 68.4 | 11.0 | 180.5 | | | | | | |
| 750 | 0 | 69. 1 | 11.3 | 181.5 | 0.90 | 0.89 | 1.04 | 2.62 | . 09 | .017 |
| 600 | 2 | 69.6 | 12.1 | 181.9 | | | | | | |
| 450* | 46 | 70.1 | 13.8 | 176.7 | 0.98 | 1.04 | 0.85 | . 55 | . 09 | . 020 |
| 300 | 982 | 70.5 | 14.7 | 173.4 | | | | | | |
| 150 | 0 | 69.4 | 10.5 | 167.3 | 1, 47 | 1.57 | 1.67 | . 33 | . 20 | . 066 |
| 70 | 0 | 68.6 | 6.8 | 148. 9 | | | | | | |
| 30 | 0 | 65.8 | 4.2 | 132. 1 | 4.50 | 4.80 | 4.35 | | . 22 | |
| SFC | 0 | | | | | | | | | |

Release at 380 feet above and 1.2 miles upwind of tower base.

- 1 PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FT/MPH²)

^{*} Timer malfunction





Fig. II-3: SUMMARY OF TRIAL DATA, TRIAL 2, APRIL 18, 1962, 0039 CST





TRIAL 2; 0039 CST 4-18-61
SURFACE DOSAGE DISTRIBUTION

Fig. II-4

TABLE II - 2

| т | R. | Ŧ | ٨ | Ŧ | 3 |
|-----|----|----|---|---|---|
| _ 1 | ĸ | ŧ. | м | 4 | 1 |

APRIL 18, 1961


0039 CST

| Height | Total | Temp. | Wind | Wind | Vertic | al | | Ri | Velocit | уΔθ |
|-------------|-------|-------------|----------|-----------|--------|------------------|-------------|-------------|---------|-------|
| Above | Dos- | • | Speed | Direc- | Sigma | (DEC | 3) | No. | Vari- | 2 |
| Base | age | | • | tion | _ | • | | | ance | u |
| (FT) | (Ī) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | 2 | (3) |
| | | | <u> </u> | | | | | | | |
| 1420 | 0 | 62.4 | 20.2 | 179.1 | | | | | | |
| | | | | | | | | | | |
| 1300 | 0 | 62. Z | 21.7 | 177.9 | | | | | | |
| | | | | | | | | | | |
| 1200 | 0 | 63. 2 | 22.7 | 176. 2 | | | | | | |
| | _ | | | | ~ / " | - / - | | | • • | |
| 1050 | 0 | 63.7 | 22.9 | 175.5 | 0.65 | 0.65 | 0.75 | 1.62 | . 19 | . 005 |
| 000 | 0 | 44 4 | 22.2 | 172 0 | | | | | | |
| 900 | Ü | 64.4 | 23.2 | 172.8 | | | | | | |
| 750 | 4 | 65. 0 | 22.3 | 173.3 | 0.63 | n 40 | 0.75 | 8. 50 | . 18 | . 008 |
| 150 | - | 03.0 | 22. J | 113.3 | 0.03 | U. T. | 0.15 | 0, 50 | . 10 | . 000 |
| 600 | 0 | 65. 3 | 22.8 | 174.7 | | | | | | |
| | _ | | | • • • • • | | | | | | |
| 450* | 58 | 63.8 | 21.1 | 166.0 | 0.75 | 0.82 | 1.35 | . 41 | . 53 | .011 |
| | | | | | | | | | | |
| 300 | 9330 | 62. 1 | 16.5 | 151.4 | | | | | | |
| | | | | | | | | | | |
| 150 | 0 | 61.4 | 13.2 | 136.5 | 0.92 | 1.02 | 1.41 | . 24 | . 23 | . 041 |
| | | | | | | | | | | |
| 70 | 0 | 58.8 | 9.1 | 118.3 | | | | | | |
| | _ | | m 1 | | | | | | | |
| 30 | 0 | 57. 7 | 5.6 | 115.2 | 7.26 | 8.34 | 9.23 | | 1.75 | |
| anc | ^ | | | | | | | | | |
| SFC | 0 | | | | | | | | | |


Release at 380 feet above and 1.0 mile upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- $(\circ F/100 \text{ FT/MPH}^2)$

^{*} Timer malfunction



SUMMARY OF TRIAL DATA, TRIAL 3, APRIL 18, 1961, 0459 CST Fig. II-5:



TRIAL 3; 0459 CST 4-18-61
SURFACE DOSAGE DISTRIBUTION

Fig. II-6

TABLE II - 3

TRIAL 3

APRIL 18, 1961


0459 CST


| Height | Total | Temp. | Wind | Wind | Verti | cal | | Ri | Velocity | Δθ |
|--------|------------|-------|-------|--------|-------|--------|-------|------|----------|----------------|
| Above | Dos- | | Speed | Direc- | Sigm | a (DEC |) | No. | Vari- | u ² |
| Base | age | | | tion | | | | | ance | |
| (FT) | <u>(1)</u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | ② | (3) |
| 1420 | 0 | 60.0 | 22. 1 | 204. 0 | | | | • | | |
| 1300 | 0 | 59.7 | 25.5 | 202. 6 | | | | | | |
| 1200 | 2 | 60.3 | 26.0 | 203.1 | | | | | | |
| 1050 | 0 | 60.6 | 25.6 | 207. 0 | 0.77 | 0.78 | 0.75 | 3.09 | . 24 | .006 |
| 900 | 0 | 61.1 | 26.1 | 206. 4 | | | | | | |
| 750 | 4 | 61.1 | 29.1 | 215.8 | 0.73 | 0.75 | 0.75 | . 37 | . 31 | . 007 |
| 600 | 0 | 60.6 | 30.4 | 217.5 | | | | | | |
| 450 * | 45 | 58.2 | 25.1 | 209. 1 | 0.98 | 1.05 | 1.23 | 21 | . 63 | .010 |
| 300 | 280 | 57.5 | 18.9 | 199. 1 | | | | | | |
| 150 | 0 | 56.3 | 11.8 | 184.4 | 2. 26 | 2. 55 | 2. 67 | . 21 | . 65 | . 066 |
| 70 | 0 | 54.4 | 8.4 | 156.8 | | | | | | |
| 30 | 0 | 51.3 | 5. 3 | 144. 2 | 2.18 | 2. 59 | 3.09 | | . 18 | |
| SFC | 0 | | | | | | | | | |

Release at 380 feet above and 1.2 miles upwind of tower base

- (I) PARTICLE-MINUTES/CUBIC FOOT
- (FEET/SECOND)²
- (°F/100 FT/MPH²)

^{*} Timer malfunction





TRIAL 4; 2019 CST 4-19-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-8

TABLE II - 4

| т | P | T | Δ | T | Δ |
|---|---|---|---|---|---|
| | | | | | |


APRIL 19, 1961

2019 CST


| Height | Total | Temp. | Wind | Wind | Verti | cal | | Ri | Velocity | Δθ |
|--------|----------|-------|-------|--------|-------|--------|-------|------|----------|----------|
| Above | Dos- | | Speed | Direc- | Sigma | a (DEC | G) | No. | Vari- | <u>2</u> |
| Base | age | | | tion | | | | | ance | |
| (FT) | <u> </u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | ② | 3 |
| 1420 | 2 | 71.0 | 45. 1 | 191.1 | | | | | | |
| 1300 | 0 | 71.2 | 47.5 | 186. 2 | | | | | | |
| 1200 | 4 | 71.8 | 47.1 | 184.3 | | | | | | |
| 1050 | 9 | 72.3 | 44.8 | 183.5 | 0.75 | 0.97 | 0.97 | . 26 | 1.23 | .0004 |
| 900 | 110 | 72.9 | 43.8 | 181.3 | | | | | | |
| 750 | 334 | 73. 9 | 40.4 | 182.8 | 1.25 | 1. 56 | 1.55 | . 03 | 2. 58 | . 0005 |
| 600 | 91 | 74.4 | 37.9 | 183.5 | | | | | | |
| 450 | 0 | 75.0 | 35.7 | 181.3 | 2.49 | 3. 19 | 3.15 | . 07 | 8.31 | . 0007 |
| 300 | 0 | 75. 5 | 30.6 | 178.3 | | | | | | |
| 1 50 | 0 | 75.9 | 24.4 | 179. 5 | 5. 10 | 6. 30 | 6. 17 | . 06 | 14.87 | . 003 |
| 70 | 0 | 76. 2 | 20.3 | 178.9 | | | | | | |
| 30 | 0 | 75. 2 | 16.0 | 176. 1 | 8. 55 | 9. 66 | 9. 23 | | 14.33 | |
| SFC | 2 | | | | | | | | | |

Release at 680 feet above and 1.1 miles upwind of tower base

- (I) PARTICLE-MINUTES/CUBIC FOOT
- (FEET/SECOND)²
- (°F/100 FEET/MPH²)



SUMMARY OF TRIAL DATA, TRIAL 5, APRIL 19, 1961, 2319 CST Fig. II-9:



TRIAL 5; 2319 CST 4-19-61
SURFACE DOSAGE DISTRIBUTION

TABLE II - 5

TRIAL 5

APRIL 19, 1961

2319 CST

| Height | Total | Temp. | Wind | Wind | | Vertical | | Ri | Velocity | Δθ |
|------------|----------|-------|--------------|---------------|-------|----------|-------|------|----------|----------|
| Above | Dos- | | Speed | Direc- | Sigm | a (DEC | G) | No. | Vari- | <u>2</u> |
| Base | age | | | tion | | | | | ance | |
| (FT) | <u> </u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | 2 | 3) |
| 1420 | Ú | 65.8 | 40.2 | 198.3 | | | | | | |
| 1300 | 0 | 66.2 | 42.4 | 192.8 | | | | | | |
| 1200 | 0 | 66.6 | 42. 1 | 189. 3 | | | | | | |
| 1050 | 0 | 67.0 | 40.2 | 187. 6 | 0.97 | 1.27 | 1.44 | . 37 | 2. 19 | .0003 |
| 900 | 208 | 67.5 | 39. 6 | 184.8 | | | | | | |
| 750 | 568 | 68.2 | 37.3 | 185. 5 | 1.30 | 1.68 | 1.72 | . 13 | 2.69 | .0003 |
| 600 | 98 | 68.8 | 35. 2 | 185.9 | | | | | | |
| 450 | 33 | 69. 5 | 34.1 | 184.0 | 2. 29 | 2.88 | 2.74 | . 10 | 5.71 | .0005 |
| 300 | 0 | 70.0 | 30. 0 | 181.1 | | | | | | |
| 150 | 2 | 70.5 | 23. 2 | 181.7 | 4.89 | 6.30 | 5. 39 | . 03 | 10.24 | . 001 |
| 7 0 | 0 | 70.8 | 18.9 | 181.8 | | | | | | |
| 30 | 0 | 70.6 | 14.6 | 180.4 | 8.11 | 9.74 | 11.58 | | 18.70 | |
| SFC | 0 | | | | | | | | | |

Release at 680 feet above and 2.0 miles upwind of tower base

- 1 PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)





Fig. II-11: SUMMARY OF TRIAL DATA, TRIAL 6, APRIL 22, 1961, 2009 CST



TRIAL 6; 2009 CST 4-22-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-12

| LI LI | * | | Ŧ | • |
|-------|----|---|----|---|
| TR | 1. | А | 1. | r |


APRIL 22, 1961

2009 CST

| Height | | Temp. | Wind | Wind | | Vertical | | | Velocity | Δθ |
|--------|-------|-------|--------------|--------|-------|-------------|-------|------|----------|----------------------------|
| Above | | | Speed | Direc- | Sigm | Sigma (DEG) | | No. | Vari- | $\frac{\overline{2}}{u^2}$ |
| Base | age | | | tion | | | | | ance | |
| (FT) | 1 | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | 2 | 3 |
| 1420 | 0 | 70.5 | 39.7 | 192. 5 | | | | | | |
| 1300 | 0 | 70.9 | 41.8 | 187.1 | | | | | | |
| 1200 | 0 | 71.4 | 41.8 | 185.5 | | | | | | |
| 1050 | 0 | 72.1 | 39.8 | 183.6 | 0.80 | 0.99 | 1.05 | . 13 | 1.14 | . 0003 |
| 900 | 0 | 72.7 | 38. 6 | 180.9 | | | | | | |
| 750 | 800 | 73.4 | 35. 5 | 181.8 | 1.20 | 1.42 | 1.50 | . 09 | 1.86 | . 0004 |
| 600 | 118 | 73.9 | 32.7 | 182.1 | | | | | | |
| 450 | 10805 | 74.6 | 31.6 | 180.2 | 2. 25 | 3.07 | 3.14 | . 09 | 6.44 | . 0006 |
| 300 | 1418 | 75.1 | 27.1 | 177.7 | | | | | | |
| 150 | 0 | 75.6 | 22.2 | 179.0 | 4.42 | 5.55 | 5, 85 | .05 | 11.08 | . 002 |
| 70 | 0 | 75.8 | 19.0 | 177.9 | | | | | | |
| 30 | 0 | 75.5 | 14.9 | 178.5 | 8.17 | 9. 59 | 10.20 | | 15.20 | |
| SFC | 2 | | | | | | | | | |


Release at 380 feet above and 1.1 miles upwind of tower base

- 1 PARTICLE-MINUTES/CUBIC FOOT
- 2 (FEET/SECOND)²
- 3 (°F/100 FEET/MPH²)



Ì

Fig. II-13: SUMMARY OF TRIAL DATA, TRIAL 7, APRIL 22, 1961, 2309 CST



TRIAL 7; 2309 CST 4-22-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-14

TABLE II - 7
SUMMARY OF TOWER DATA

TRIAL 7

APRIL 22, 1961

2309 CST

| Heigh | | Temp | Wind | Wind | Vert | | | Ri | Velocity | / <u>\Delta\theta}</u> |
|-------------|------|--------------|------------|--------|------|------------|-------|--------------|----------|------------------------|
| Above | | | Speed | Direc- | Sigm | Sigma(DEG) | | No. | Vari- | $\frac{-2}{u^2}$ |
| Base | age | (0.73) | (3 (T)T Y) | tion | | | 180 | | ance | |
| (F'T) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 100 | | (2) | 3) |
| 1420 | 0 | 66.8 | 49. 2 | 205.8 | | | | | | |
| 1300 | 0 | 66.1 | 50.4 | 198.6 | | | | | | |
| 1200 | 0 | 65.9 | 49.5 | 194. 1 | | | | | | |
| 1050 | 2 | 66. 2 | 45. 9 | 191.1 | 1.28 | 1.60 | 1.65 | . 13 | 3.76 | .0002 |
| 900 | 0 | 66.6 | 43.5 | 188. 1 | | | | | | |
| 750 | 438 | 67.3 | 40.9 | 188. 9 | 1.65 | 2.18 | 2. 25 | . 07 | 5.56 | .0002 |
| 600 | 96 | 67.9 | 37.4 | 189. 7 | | | | | | |
| 4 50 | 1178 | 68. 7 | 35.9 | 188.3 | 2.45 | 3.09 | 3.15 | .07 | 8.40 | .0004 |
| 300 | 68 | 69. 2 | 31.8 | 186.0 | | | | | | |
| 150 | 0 | 69.7 | 25.0 | 185.0 | 5.40 | 6.45 | 6.90 | . 03 | 19.52 | . 001 |
| 70 | 0 | 70.0 | 20.7 | 185.5 | | | | | | |
| 30 | 0 | 6 9.8 | 16.0 | 184.7 | 9.45 | 10.80 | 10.80 | | 19.62 | |
| SFC | 0 | | | | | | | | | |

Release at 680 feet above and 1.0 miles upwind of tower base.

- (T) PARTICLE-MINUTES/CUBIC FOOT
- (2) (FEET/SECOND)²
- \bigcirc (°F/100 FT/MPH²)





Fig. II-15: SUMMARY OF TRIAL DATA, TRIAL 8, APRIL 23, 1961, 0149 CST



TRIAL 8; 0149 CST 4-23-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-16

TABLE II -8 SUMMARY OF TOWER DATA

TRIAL 8

APRIL 23, 1961

0149 CST

| Height | Total | Temp | Wind | Wind | Verti | cal | · · · · · · · · · · · · · · · · · · · | Ri | Velocity | <i>r</i> Δθ |
|--------|------------|------|-------|--------|-------|-------|---------------------------------------|------|----------|------------------|
| Above | Dos- | - | Speed | Direc- | Sigma | (DEG) | | No. | Vari- | $\frac{-2}{u^2}$ |
| Base | age | | | tion | | | | | ance | |
| (FT) | <u>(1)</u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2)_ | (3) |
| 1420 | 0 | 64.4 | 52. 1 | 208.8 | - ' | | | | | |
| 1300 | 0 | 63.1 | 52.4 | 203.3 | | | | | | |
| 1200 | 0 | 62.5 | 50.3 | 199.6 | | | | | | |
| 1050 | 0 | 63.0 | 46.3 | 197.6 | 0.83 | 0.96 | 1.05 | . 15 | 1.54 | .0003 |
| 900 | 0 | 63.3 | 43.1 | 194.8 | | | | | | |
| 750 | 79 | 63.9 | 40.8 | 195.2 | 1.29 | 1.65 | 1.75 | . 19 | 3, 33 | .0003 |
| 600 | 154 | 64.4 | 38.5 | 195.8 | | | | | | |
| 450 | 351 | 65.2 | 36.1 | 194.1 | 1.80 | 2.32 | 2.47 | .04 | 5. 20 | .0006 |
| 300 | 25 | 65.7 | 30.9 | 192.1 | | | | | | |
| 150 | 0 | 66.1 | 24.2 | 187.4 | 4.20 | 5.28 | 5.60 | . 03 | 12.03 | .002 |
| 70 | 0 | 66.3 | 19.1 | 190.0 | | | | | | |
| 30 | 0 | 66.0 | 13.8 | 189. 2 | 9.00 | 10.50 | 10.60 | | 13.97 | |
| SFC | 0 | | | | | | | | | |

Release at 980 feet above and 1.1 miles upwind of tower base

- (1) PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (3) (° $F/100 FT/MPH^2$)





Fig. II-17: SUMMARY OF TRIAL DATA, TRIAL 9, APRIL 25, 1961, 2019 CST



TRIAL 9; 2019 CST 4-25-61

SURFACE DOSAGE DISTRIBUTION

TABLE II - 9 SUMMARY OF TOWER DATA

TRIAL 9

APRIL 25, 1961

2019 CST

| Height Above | Total Dos- | Temp | Wind Speed | Wind Direc- | Vertic Sigma | | | Ri No. | Velocity Vari- | $\frac{\Delta \theta}{u^2}$ |
|-----------------|---------------|-------|---------------|----------------|-----------------|------|------|-----------|-------------------|-----------------------------|
| Base (FT) | age (1) | (°F) | (MPH) | tion (DEG) | 5 | 30 | 180 | | ance | (3) |
| <u>(F 1)</u> | <u> </u> | (1) | (IVIT-II) | (DEG) | | 30 | 100 | | (2) | <u> </u> |
| 1420 | 0 | 63.2 | 17.9 | 010.6 | | | | | | |
| 1300 | 0 | 63.8 | 23.4 | 008.6 | | | | | | |
| 1200 | 0 | 64.3 | 23.5 | 010.3 | | | | | | |
| 1050 | 0 | 65.0 | 24, 2 | 008.8 | 0.37 | 0.37 | 0.45 | . 43 | .08 | .002 |
| 900 | 5 | 65, 7 | 25.0 | 007.4 | | | | | | |
| 750 | 643 | 66.5 | 24.7 | 009.3 | 0.32 | 0.37 | 0.31 | 3.40 | .04 | ,003 |
| 600 | 739 | 67. 1 | 24. 5 | 008.5 | | | | | | |
| 450 | 11 | 67.3 | 22. 9 | 006.3 | 0.70 | 0.75 | 0.76 | . 58 | . 20 | .006 |
| 300 | 5 | 67.5 | 20,5 | tat i | | | | | | |
| 150 | 0 | 67.2 | 14.7 | 007.4 | 1.74 | 1.84 | 1.89 | . 18 | . 51 | .024 |
| 70 | 0 | 66.3 | 10.8 | 003.2 | | | | | | |
| 30 | 0 | 64.5 | 6.8 | 001.7 | 3,55 | 3.95 | 3.85 | | . 45 | |
| SFC | 0 | | | | | | | | | |

Release at 680 feet above and 2.8 miles upwind of tower base

- 1 PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ $(°F/100 FT/MPH^2)$





Fig. II-19: SUMMARY OF TRIAL MATA, TRIAL 10, APRIL 26, 1961, 0019 CST



TRIAL 10; 0019 CST 4-26-61
SURFACE DOSAGE DISTRIBUTION

TABLE II - 10 SUMMARY OF TOWER DATA

APRIL 26.1961

0019 CST

| Height Above | Total Dos- | Temp | Wind Speed | Wind Direc- | Vertic Sigma | al (DEG) | | Ri No. | Velocity Vari- | $\frac{\Delta\theta}{u^2}$ |
|-----------------|---------------|------|---------------|----------------|-----------------|-------------|------|-----------|-------------------|----------------------------|
| Base | age | | | tion | | | | | ance | |
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 59.4 | 27.8 | 042.2 | | | | | | |
| 1300 | 0 | 60.1 | 28.3 | 039.8 | | | | | | |
| 1200 | 0 | 60.7 | 29.7 | 042.4 | | | | | | |
| 1050 | 0 | 61.5 | 30.1 | 040.8 | • | _ | - | . 15 | - | .002 |
| 900 | 0 | 62.2 | 32.0 | 041.3 | | | | | | |
| 750 | 14 | 62.9 | 32.4 | 041.9 | 0.25 | 0.30 | 0.29 | 1.45 | . 06 | .002 |
| 600 | 1837 | 63.1 | 33.1 | 044.3 | | | | | | |
| 450 | 787 | 62.7 | 31.5 | 043.3 | 0.52 | 0.51 | 0.52 | . 72 | . 18 | .003 |
| 300 | 20 | 61.9 | 27.8 | 040.0 | | | | | | |
| 150 | 8 | 60.4 | 18.4 | 044.1 | 3.92 | 4. 24 | 4.05 | . 11 | 3.64 | .008 |
| 70 | 0 | 59.6 | 13.8 | 044.1 | | | | | | |
| 30 | 0 | 59.0 | 10.7 | 045.4 | 6.00 | 6.60 | 7.20 | | 3.89 | |
| SFC | 0 | | | | | | | | | |

Release at 680 feet above and 2.0 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (°F/100 FT/MPH 2)





Fig. II-21: SUMMARY OF TRIAL DATA, TRIAL 11, APRIL 26, 1961, 0359 CST



TRIAL 11; 0359 CST 4-26-61 SURFACE DOSAGE DISTRIBUTION

TABLE II - 11 SUMMARY OF TOWER DATA

APRIL 26, 1961

0359 CST

| Height | Total | Temp | Wind | Wind | Vertic | al | | Ri | Velocity | Δθ |
|--------|-------|-------|-------|--------|--------|-------|------|-------|----------|------|
| Above | Dos- | _ | Speed | Direc- | Sigma | (DEG) | | No. | Vari- | 2 |
| Base | age | | | tion | | | | | ance | u |
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 56.3 | 31.9 | 074.4 | | | | | | |
| 1300 | 0 | 56.5 | 34.3 | 074.3 | | | | | | |
| 1200 | 0 | 56.8 | 37.0 | 076.9 | | | | | | |
| 1050 | 0 | 57.3 | 37.3 | 074.0 | - | - | •• | . 44 | • | .001 |
| 900 | 0 | 58.0 | 38.8 | 073.7 | | | | | | |
| 750 | 12 | 58.7 | 39.9 | 072.7 | 0.23 | 0.30 | 0.40 | 42.50 | . 17 | .002 |
| 600 | 12 | 58. 1 | 39.1 | 074.3 | | | | | | |
| 450 | 224 | 57.2 | 34.6 | 073.0 | 0.70 | 0.90 | 0.82 | . 26 | . 53 | .002 |
| 300 | 792 | 56.4 | 28.7 | 070.7 | | | | | | |
| 150 | 780 | 55.1 | 19. 9 | 073.4 | 3.22 | 3.83 | 3.75 | . 11 | 3.65 | .006 |
| 70 | 128 | 54.4 | 15.1 | 071.1 | | | | | | |
| 30 | 22 | 53.9 | 12. 1 | 069.6 | 5.00 | 5.78 | 5.70 | | 3.10 | |
| SFC | 44 | | | | | | | | | |

Release at 380 feet above and 2. I miles upwind of tower base

- 1 PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)





Fig. II-23: SUMMARY OF TRIAL DATA, TRIAL 12, APRIL 28, 1961, 1929 CST

3



SURFACE DOSAGE DISTRIBUTION

Fig. II-24

TABLE II - 12 SUMMARY OF TOWER DATA

APRIL 28, 1961

1929 CST

| Height | Total | Tèmp | Wind | Wind | Vertic | al | | Ri V | elocity | Δθ |
|--------|-------|------|-------|--------|--------|----------|------|-------|---------|----------|
| Above | Dos- | - | Speed | Direc- | Sigma | (DEG) | | No. V | • | <u>2</u> |
| Base | age | | | tion | | | | aı | nce | |
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 67.4 | 7.9 | 120.5 | | | | | | |
| 1300 | 0 | 67.8 | 7.2 | 137.2 | | | | | | |
| 1200 | 0 | 68.3 | 7.1 | 141.8 | | | | | | |
| 1050 | 0 | 68.9 | 7.9 | 138.6 | - | - | - | 2.13 | | .042 |
| 900 | 8296 | 69.5 | 8.3 | 138.4 | | | | | | |
| 750 | 5297 | 69.9 | 8.5 | 135.0 | 0.27 | 0.37 | 0.37 | 5. 23 | .007 | .045 |
| 600 | 47 | 70.3 | 9.4 | 137.2 | | | | | | |
| 450 | 0 | 70.6 | 10.8 | 132.7 | 0.31 | 0.49 | 0.55 | . 78 | .02 | .044 |
| 300 | 2 | 69.7 | 7. 2 | 120.1 | | | | | | |
| 150 | 0 | 69.7 | 4. 7 | 115.5 | 0.72 | 0.87 | 0.97 | .80 | .01 | .401 |
| 70 | υ | 69.1 | 2.6 | 105.6 | | | | | | |
| 30 | 4 | 66.7 | 0.8 | 082.9 | (wind | too ligh | t) | | | |
| SFC | 0 | | | | | | | | | |

Release at 980 feet above and 1.0 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (°F/100 FEET/MPH²)






Fig. II-25: SUMMARY OF TRIAL DATA, TRIAL 13, JUNE 5, 1961, 2109 CST





TRIAL 13; 2109 GST 6-5-61 SURFACE DOSAGE DISTRIBUTION

TABLE II - 13
SUMMARY OF TOWER DATA


JUNE 5, 1961

2109 CST


| Height | Total | Temp | Wind | Wind | Vertic | cal | | Ri V | Velocity | Δθ |
|-------------|-------|------|-------|--------|--------|-------|------|------|----------|----------------------------|
| Above | Dos- | _ | Speed | Direc- | Sigma | (DEG) | | No. | Vari- | $\frac{\Delta\theta}{u^2}$ |
| Base | age | | | tion | | | | | ance | |
| <u>(FT)</u> | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | | 75.3 | 26.4 | 162.6 | | | | | | |
| 1300 | | 75.4 | 27.8 | 165.6 | | | | | | |
| 1200 | | 76.0 | 28.3 | 162.5 | | | | | | |
| 1050 | | 76.4 | 29.0 | 159.6 | 0.28 | 0.37 | 0.43 | 1.42 | . 10 | .002 |
| 900 | 0 | 76.1 | 29.3 | 156.9 | | | | | | |
| 750 | U | 76.9 | 28. 1 | 153.8 | 0.18 | 0.22 | 0.39 | 1.39 | .08 | .003 |
| 600 | 0 | 77.0 | 28. 2 | 153.3 | | | | | | |
| 450 | 2560 | 76.6 | 26.7 | 148.2 | 0.79 | 0.97 | 1.01 | . 37 | . 48 | .004 |
| 30υ | 1019 | 75.9 | 21. 8 | 142.4 | | | | | | |
| 150 | 13 | 75.1 | 15.3 | 141.1 | 2.46 | 2.65 | 2.33 | . 14 | . 83 | .012 |
| 70 | 0 | 74.2 | 10.8 | 132.4 | | | | | | |
| 30 | 0 | 73.9 | 7.9 | 133.0 | 6.60 | 7.59 | 7.71 | | 2.44 | |
| SFC | 0 | | | | | | | | | |

Release at 450 feet above and 2.3 miles upwind of tower base

- (I) PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- \bigcirc (°F/100 FEET/MPH²)



SUMMARY OF TRIAL DATA, TRIAL 14, JUNE 5, 1961, 2339 CST Fig. II-27:



TRIAL 14; 2329 CST 6-5-61 SURFACE DOSAGE DISTRIBUTION

Fig. II-28

TABLE II - 14 SUMMARY OF TOWER DATA

JUNE 5, 1961

2339 CST

| Height | Total | Temp | Wind | Wind | Vertic | al | | Ri | Velocity | <u>Δθ</u> |
|--------|-------------|---------|-------|--------|--------|-------|------|------|----------|------------------------------|
| Above | Dos- | 5 | Speed | Direc- | Sigma | (DEG) | | No. | Vari- | $\frac{\overline{u^2}}{u^2}$ |
| Base | age | | | tion | | | | | ance | |
| (FT) | <u> (I)</u> | (°F) (N | (PH) | (DEG) | 5 | 30 | 180 | | 2) | 3 |
| 1420 | 0 | 73.7 | 29. 9 | 196.7 | | | | | | |
| 1300 | 0 | 74.4 | 31.3 | 189.9 | | | | | | |
| 1200 | 0 | 74.9 | 32. 1 | 185.6 | | | | | | |
| 1050 | 0 | 75.1 | 33.6 | 181.2 | 0.27 | 0.41 | 0.52 | . 66 | . 20 | .002 |
| 900 | 0 | 74.6 | 35.2 | 179.0 | | | | | | |
| 750 | 0 | 74.9 | 31.7 | 175.5 | 0.52 | 0.64 | 0.73 | . 28 | . 35 | .002 |
| 600 | 11 | 75.1 | 29.9 | 175.0 | | | | | | |
| 450 | 84 | 75.8 | 28.9 | 169.8 | 0.38 | 0.60 | 0.67 | . 23 | . 25 | .003 |
| 300 | 981 | 76.0 | 26.9 | 166.7 | | | | | | |
| 150 | 780 | 74.1 | 18.0 | 167.1 | 3.26 | 3.75 | 3.90 | . 12 | 3.23 | .006 |
| 70 | 276 | 73.5 | 12.5 | 163.3 | | | | | | |
| 30 | 520 | 73.3 | 10.6 | 165.8 | 7.38 | 8.85 | 8.85 | | 5.74 | |
| SFC | 585 | | | | | | | | | |

Release at 450 feet above and 5.2 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- (FEET/SECOND)²
- $(\circ F/100 \text{ FEET/MPH}^2)$





Fig. II-29: SUMMARY OF TRIAL DATA, TRIAL 15, JUNE 6, 1961, 0129 CST



TRIAL 15; 0129 CST 6-6-61
SURFACE DOSAGE DISTRIBUTION

TABLE II - 15 SUMMARY OF TOWER DATA

JUNE 6, 1961

0129 CST

| Height | Total | Temp | Wind | Wind | Vertic | | 1 | | Velocity | Δθ |
|--------|----------|----------------|-------|--------|--------|-------|------|------|----------|----------------------------|
| Above | Dos- | | Speed | Direc- | Sigma | (DEG) | | | Vari- | $\frac{\overline{2}}{u^2}$ |
| Base | age | | | tion | | | | | ance | |
| (FT) | <u> </u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | 2 | (3) |
| 1420 | 0 | 71. 2 | 32. 6 | 206.4 | | | | | | |
| 1300 | 0 | 71.6 | 34.8 | 200.7 | | | | | | |
| 1200 | 0 | 7 2 . 1 | 35, 8 | 198. 1 | | | | | | |
| 1050 | 0 | 72.8 | 34. 9 | 195.5 | 0.19 | 0.25 | 0.33 | 1.79 | . 09 | .001 |
| 900 | 0 | 73.3 | 36. 1 | 195. 9 | | | | | | |
| 750 | 0 | 74. 2 | 36.0 | 194. 0 | 0. 22 | 0.26 | 0.37 | . 92 | . 12 | .001 |
| 600 | 111 | 74. 2 | 36. 6 | 192. 0 | | | | | | |
| 450 | 1214 | 74. 1 | 33, 7 | 185. 5 | 1. 24 | 1. 25 | 1.05 | . 15 | . 82 | .002 |
| 300 | 317 | 73.3 | 27.4 | 177. 9 | | | | | | |
| 150 | 144 | 72. 9 | 18.8 | 178.8 | 4.50 | 5.34 | 5.19 | . 06 | 6.25 | . 003 |
| 70 | 0 | 72. 9 | 14. 2 | 176.0 | | | | | | |
| 30 | 11 | 72.8 | 11.4 | 178.5 | 7.45 | 9. 14 | 9.42 | | 7.54 | |
| SFC | 60 | | | | | | | | | |

Release at 600 feet above and 6.3 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- (2) (FEET/SECOND)²
- (3) (°F/100 FEET/MPH²)





Fig. II-31: SUMMARY OF TRIAL DATA, TRIAL 16, JUNE 6, 1961, 2019 CST



SURFACE DOSAGE DISTRIBUTION

Fig. II-32

TABLE II. - 16 SUMMARY OF TOWER DATA

JUNE 6, 1961

2019 CST

| Height | Total | Temp | Wind | Wind | Vertic | cal | | Ri V | elocity | Δθ |
|--------|-------|--------|-------|--------|--------|-------|------|-------|----------|-----------------|
| Above | Dos- | _ | Speed | Direc- | Sigma | (DEG) | | No. V | • | $\frac{1}{u^2}$ |
| Base | age | | | tion | | | | | nce | |
| (FT) | (1) | (°F) (| MPH) | (DEG) | 5 | 30 | 180 | | ② | (3) |
| 1420 | 0 | 76.6 | 19.6 | 134.4 | | | | | | |
| 1300 | 0 | 77.1 | 20.5 | 141.7 | | | | | | |
| 1200 | 0 | 77.6 | 21.7 | 140.1 | | | | | | |
| 1050 | 2 | 78.3 | 21.3 | 139.6 | 0.25 | 0.37 | 0.52 | 4.25 | .08 | .003 |
| 900 | 53 | 79.0 | 21.9 | 138.5 | | | | | | |
| 750 | 2091 | 79.7 | 20.9 | 136.5 | 0.38 | 0.39 | 0.45 | 1.22 | .06 | .004 |
| 600 | 1728 | 80.3 | 20.5 | 138.0 | | | | | | |
| 450 | 104 | 80.8 | 20.1 | 134.6 | 0.35 | 0.40 | 0.50 | .09 | .07 | .006 |
| 300 | 39 | 81.3 | 16.4 | 118.4 | | | | | | |
| 150 | 2 | 80.4 | 13.2 | 127.9 | 1.83 | 2.04 | 2.14 | . 25 | . 53 | .019 |
| 70 | 0 | 79.5 | 9. 1 | 122.5 | | | | | | |
| 30 | 0 | 79.0 | 5.9 | 131.6 | 7.50 | 8.31 | 8.64 | | 1.72 | |
| SFC | 17 | | | | | | | | | |

Release at 750 feet above and 4.7 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)




Fig. II-33: SUMMARY OF TRIAL DATA, TRIAL 17, JUNE 6, 1961, 2349 CST




Fig. II-34

TABLE II - 17 SUMMARY OF TOWER DATA

JUNE 6, 1961

2349 CST

| Height | Total | Temp | Wind | Wind | Vertic | al | | Ri | Velocity | Δθ |
|--------|-------|------|-------|--------|--------|-------|------|------|----------|-----------------|
| Above | Dos- | _ | Speed | Direc- | Sigma | (DEG) | | No. | Vari- | $\frac{1}{u^2}$ |
| Base | age | | | tion | | | | | ance | |
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | 2) | (3) |
| 1420 | 0 | 74.0 | 34.7 | 195.2 | | | | | | |
| 1300 | 0 | 74.3 | 37.6 | 187.8 | | | | | | |
| 1200 | 0 | 74.5 | 38.2 | 183.9 | | | | | | |
| 1050 | 0 | 75.0 | 35.8 | 181.3 | 0.49 | 0.52 | 0.55 | . 44 | . 25 | .0008 |
| 900 | 0 | 75.5 | 35.5 | 180.6 | | | | | | |
| 750 | 15 | 76.3 | 33.3 | 180.2 | 0.47 | 0.49 | 0.60 | . 20 | . 26 | .001 |
| 600 | 551 | 76.7 | 31.5 | 179.6 | | | | | | |
| 450 | 1830 | 76.6 | 28.0 | 173.4 | 1.59 | 1.82 | 1.93 | . 14 | 1.92 | .002 |
| 300 | 395 | 76.6 | 22.6 | 168.2 | | | | | | |
| 150 | 183 | 76.6 | 16.1 | 168.9 | 4.14 | 4.99 | 4.83 | .07 | 3.96 | .004 |
| 70 | 20 | 76.5 | 11.8 | 163.7 | | | | | | |
| 30 | 0 | 76.5 | 9.5 | 166.0 | 7.20 | 8.39 | 8.25 | | 4.01 | |
| SFC | 83 | | | | | | | | | |

Release at 600 feet above and 4.7 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (°F/100 FEET/MPH²)





Fig. II-35: SUMMARY OF TRIAL DATA, TRIAL 18, JUNE 7, 1961, 0319 CST



SURFACE DOSAGE DISTRIBUTION

Fig. II-36

TABLE II - 18
SUMMARY OF TOWER DATA

JUNE 7, 1961

0319 CST

| Height | Total | Temp | Wind | Wind | Vertic | al | | Ri | Velocity Vari~ | γ Δθ |
|--------|-------|------|-------|--------|--------|-------|-------|------|-------------------|----------|
| Above | Dos- | • | Speed | Direc- | Sigma | (DEG) | | No. | Vari~ | <u>2</u> |
| Base | age | | | tion | | | | | ance | |
| (FT) | (I) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (Z) | (3) |
| 1420 | 0 | 72.4 | 35.7 | 200.5 | | | | | | |
| 1300 | 0 | 71.7 | 38.5 | 195.8 | | | | | | |
| 1200 | 0 | 71.0 | 38.2 | 191.3 | | | | | | |
| 1050 | 0 | 70.3 | 35.3 | 186.5 | 0.43 | 0.49 | 0.52 | . 62 | . 22 | .0005 |
| 900 | 0 | 70.3 | 35.1 | 184.1 | | | | | | |
| 750 | 3 | 71.0 | 32.3 | 182. 1 | 0.64 | 0.82 | 0.85 | . 20 | . 49 | .0006 |
| 600 | 567 | 71.4 | 30.7 | 182.1 | | | | | | |
| 450 | 1230 | 71.8 | 27.9 | 178.6 | 1.69 | 2.10 | 2.18 | .09 | 2.42 | .0007 |
| 300 | 440 | 72.4 | 24.0 | 175.7 | | | | | | |
| 150 | 653 | 72.8 | 18.0 | 178.7 | 3.91 | 5.20 | 5.40 | .05 | 6.18 | .002 |
| 70 | 304 | 73.0 | 14.4 | 177.2 | | | | | | |
| 30 | 440 | 73.0 | 11.7 | 179.0 | 7.59 | 9.31 | 9. 96 | | 8.94 | |
| SFC | 754 | | | | | | | | | |

Release at 450 feet above and 2.9 miles upwind of tower base

- (T) PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)





Fig. II-37: SUMMARY OF TRIAL DATA, TRIAL 19, JUNE 8, 1961, 1949 CST



TRIAL 19; 1949 CST 6-8-61
SURFACE DOSAGE DISTRIBUTION

Fig. II-38

TABLE II - 19

SUMMARY OF TOWER DATA

TRIAL 19

JUNE 8, 1961

1949 CST

| Height Above Base | | Temp | Wind Speed | Wind Direc- tion | Vertic Sigma | al (DEG) | | Ri Ve No. Va | locity riance | Δθ u |
|-------------------------|-----|------|---------------|------------------------|-----------------|-------------|------|-----------------|------------------|---------|
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | 2) | (3) |
| 1420 | 0 | 79.8 | 14.7 | 178.8 | | | | | | |
| 1300 | 0 | 80.3 | 15.7 | 178.5 | | | | | | |
| 1200 | 0 | 80.8 | 14.8 | 175.7 | | | | | | |
| 1050 | 0 | 81.4 | 15.4 | 173.3 | 0.57 | 0.75 | 0.84 | 11.33 | .11 | .003 |
| 900 | 0 | 82.0 | 15.2 | 174.0 | | | | | | |
| 750 | 0 | 82.8 | 14.2 | 171.9 | 0.72 | 0.97 | 1.05 | . 68 | . 14 | .004 |
| 600 | 9 | 83.4 | 13.8 | 171.2 | | | | | | |
| 450 | 12 | 84.0 | 13.6 | 166.8 | 1.35 | 1.80 | 1.92 | . 10 | . 44 | .005 |
| 300 | 55 | 84.5 | 10.3 | 163.7 | | | | | | |
| 150 | 536 | 84.8 | 6.3 | 167.1 | 3.99 | 5.40 | 5.16 | . 15 | . 69 | .026 |
| 70 | 102 | 84.8 | 4.6 | 164.7 | | | | | | |
| 30 | 97 | 84.8 | 2. 9 | 189.8 | 6.39 | 9.00 | 9.90 | | . 55 | |
| SFC | 85 | | | | | | | | | |

Release at 450 feet above and 2.3 miles upwind of tower base

- (I) PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (°F/100 FEET/MPH²)





Fig. II-39: SUMMARY OF TRIAL DATA, TRIAL 20, JUNE 12, 1961, 2029 CST



TRIAL 20; 2029 CST 6-12-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-40

TABLE II - 20

SUMMARY OF TOWER DATA

| т | R | ۲. | Δ | Τ. | 20 |
|---|---|----|---|----|----|
| _ | | - | | _ | |


JUNE 12, 1961

2029 CST


| Height Above Base | Total Dos- age (1) | Temp Wind Speed | | Wind Direc- tion | Vertical Sigma (DEG) | | | Ri Velocity No. Vari- ance | | $\frac{\Delta\theta}{u^2}$ |
|-------------------------|--------------------|--------------------|-------|------------------------|-------------------------|------|------|----------------------------------|------|----------------------------|
| (FT) | | (° <u>F</u>) | (MPH) | (DEG) | 5 | 30 | 180 | | 2) | (3) |
| 1420 | 0 | 75.3 | 25.5 | 181.3 | | | | | | |
| 1300 | 0 | 75.7 | 27.5 | 177.3 | | | | | | |
| 1200 | 0 | 76.1 | 25, 9 | 172.7 | | | | | | |
| 1050 | 0 | 76.8 | 28.6 | 170.1 | 0.21 | 0.31 | 0.47 | . 17 | . 12 | .0007 |
| 900 | 26 | 77.2 | 30.9 | 172.2 | | | | | | |
| 750 | 49 | 77.6 | 30.3 | 170.1 | 0.38 | 0.67 | 0.82 | 1, 15 | . 40 | .0007 |
| 600 | 87 | 77.5 | 28, 2 | 169. 2 | | | | | | |
| 450 | 0 | 77.7 | 26.0 | 163.4 | 1.74 | 2.30 | 2.36 | . 13 | 2.46 | .0006 |
| 300 | 0 | 78.2 | 21.6 | 159.1 | | | | | | |
| 150 | 0 | 78.7 | 17.0 | 161.9 | 4.12 | 5.40 | 5.70 | .04 | 6.14 | .001 |
| 70 | 0 | 79.0 | 13.8 | 156.6 | | | | | | |
| 30 | 0 | 79.1 | 11.2 | 174.9 | 6.60 | 7.86 | 8.45 | | 5.85 | |
| SFC | 0 | | | | | | | | | |

Release at 750 feet above and 2.2 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)



Qu.



TRIAL 21; 2359 CST 6-12-61 SURFACE DOSAGE DISTRIBUTION

Fig. II-42

TRIAL 21

JUNE 12, 1961

2359 CST

| Heigh | | Temp | Wind Speed | Wind Direc- | Vertic Sigma | cal . (DEG) | , | | elocity ari- | $\frac{\Delta\theta}{u^2}$ |
|-------|------|------|---------------|----------------|-----------------|----------------|------|-------|-----------------|----------------------------|
| Base | age | | - Pour | tion | 6 | . (2.20, | | | ice | น็ |
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 71.6 | 33.3 | 196.2 | | | | | | - |
| 1300 | 4 | 72.1 | 35.4 | 191.4 | | | | | | |
| 1200 | 0 | 72.6 | 32.5 | 190.4 | | | | | | |
| 1050 | 53 | 73.1 | 33.2 | 188.1 | 0.52 | 0.60 | 0.59 | 19.83 | . 25 | .0007 |
| 900 | 519 | 73.5 | 32,1 | 189.9 | | | | | | |
| 750 | 1554 | 74.2 | 29. 2 | 191.5 | 0.88 | 1.05 | 1.01 | . 13 | . 57 | .001 |
| 600 | 1017 | 74.7 | 27. 2 | 192.8 | | | | | | |
| 450 | 113 | 75.2 | 25.4 | 189.5 | 1.58 | 1. 96 | 1.85 | . 12 | 1.45 | .002 |
| 300 | 0 | 75.6 | 20.6 | 186.1 | | | | | | |
| 150 | 0 | 75.6 | 14.3 | 188.0 | 3.90 | 4.80 | 4.76 | . 07 | 3.05 | .004 |
| 70 | 0 | 75.6 | 10.6 | 184.9 | | | | | | |
| 30 | 0 | 75.6 | 8.3 | 198.9 | 6.30 | 7.50 | 7.95 | | 2.87 | |
| SFC | 7 | | | | | | | | | |

Release at 750 feet above and 3.7 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (*F/100 FEET/MPH²)





Fig. II-43: SUMMARY OF TRIAL DATA, TRIAL 22, JUNE 13, 1961, 2009 CST

3



SURFACE DOSAGE DISTRIBUTION

Fig. II-44

TABLE II - 22

TRIAL 22


JUNE 13. 1961

2009 CST

| Heigh | | Temp | Wind | Wind | Verti | | | Ri | Velocity | Δθ |
|------------|------|-------|-----------|--------|-------|-------|-------|------|----------|----------|
| Abov | | | Speed | Direc- | Sigma | (DEG) | | No. | Vari- | <u>2</u> |
| Base | age | (°F) | /1/CT) // | tion | 5 | 30 | 180 | | ance | |
| (FT) | (1) | (1) | (MPH) | (DEG) | | 30 | 190 | | (2) | (3) |
| 1420 | 0 | 76.6 | 29.4 | 197.8 | | | | | | |
| 1300 | 13 | 76.9 | 32.0 | 191.3 | | | | | | |
| 1200 | 7 | 77.2 | 30.0 | 188.2 | | | | | | |
| 1050 | 1393 | 77.7 | 32.0 | 183.6 | 0.42 | 0.60 | 0.79 | . 23 | .42 | .0002 |
| 900 | 1208 | 78.4 | 32.5 | 183.0 | | | | | | |
| 750 | 22 | 79.1 | 30.6 | 182.1 | 0.60 | 0.90 | 1.07 | . 43 | . 70 | .0003 |
| 600 | 0 | 79.7 | 30.1 | 182.3 | | | | | | |
| 450 | 0 | 80.4 | 29.5 | 179.2 | 1.54 | 2. 14 | 2.33 | . 03 | 3.11 | .0003 |
| 300 | 0 | 81.2 | 26. 2 | 175.6 | | | | | | |
| 150 | 0 | 81.7 | 20.4 | 179. 2 | 3.59 | 4.65 | 5,02 | . 03 | 6.86 | .0008 |
| 7 0 | 0 | 82.0 | 16.0 | 176.4 | | | | | | |
| 30 | 0 | 82. 1 | 13.6 | 185.9 | 7.26 | 8.70 | 9. 25 | | 10.32 | |
| SFC | 0 | | | | | | | | | |

Release at 1050 feet above and 1.8 miles upwind of tower base

- 1 PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)




1

į

Fig. II-45: SUMMARY OF TRIAL DATA, TRIAL 23, JUNE 13, 1961, 23397CST

1



TRIAL 23; 2339 CST 6-13-61
SURFACE DOSAGE DISTRIBUTION
Fig. II-46

TABLE II - 23

TRIAL 23

JUNE 13, 1961

2339 CST

| Height | Total | Temp | Wind | Wind | Vertic | al | | Ri | Velocity | |
|--------|-------|------|-------|--------|--------|-------|------|------|----------|--------|
| Above | Dos- | , | Speed | Direc- | Sigma | (DEG) | | No. | Vari- | 2 |
| Base | age | | | tion | | | | | ance | u · |
| (FT) | (I) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 73.3 | 33.9 | 201.8 | | | | | , | |
| 1300 | 89 | 73.6 | 35.2 | 195.3 | | | | | | |
| 1200 | 241 | 74.0 | 31.6 | 193.2 | | | | | | |
| 1050 | 444 | 74.5 | 32.1 | 189.3 | 0.90 | 1.10 | 1.12 | .70 | . 84 | 0006 ، |
| 900 | 332 | 75.0 | 30.9 | 188.4 | | | | | | |
| 750 | 301 | 75.5 | 27.8 | 187, 2 | 1.45 | 1.78 | 1.85 | . 15 | 1.74 | .0008 |
| 600 | 33 | 76.1 | 25.6 | 186.5 | | | | | | |
| 450 | 2 | 76.6 | 23.7 | 182.7 | 2.10 | 2.80 | 3.10 | .09 | 3.54 | .0008 |
| 300 | 0 | 77.2 | 19.7 | 178.5 | | | | | | |
| 150 | 0 | 77.5 | 14.6 | 181.2 | 4.50 | 5.64 | 5.97 | . 07 | 4.97 | .003 |
| 70 | 0 | 77.6 | 10.9 | 177.9 | | | | | | |
| 30 | 0 | 77.6 | 8.8 | 189.1 | 7.35 | 8.91 | 9.96 | | 5.03 | |
| SFC | 2 | | | | | | | | | |

Release at 1050 feet above and 3.3 miles upwind of tower base

- 1 PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (3) (°F/100 FEET/MPH²)





Fig. II-47: SUMMARY OF TRIAL DATA, TRIAL 25, AUGUST 7, 1961, 2104 CST



TRIAL 25; 2104 CST 8-7-61
SURFACE DOSAGE DISTRIBUTION

TABLE II - 25

| TR | τ/ | l T | 3 E |
|------|-----|--------------|------|
| I K. | 1 1 | 1 1 1 | - 45 |

AUGUST 7, 1961

2104 CST


| Height | Total | Temp. | Wind | Wind | Verti | cal | | Ri | Velocity | Δθ |
|--------|-------|-------|-------|--------|-------|-------|------|------|----------|----------|
| Above | Dos- | | Speed | Direc- | Sigm | a (DE | G) | No. | Vari- | <u>2</u> |
| Base | age | | | tion | | | | | ance | |
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | 3 |
| 1420 | 0 | 77.5 | 25. 2 | 210.0 | | | | | | |
| 1300 | 0 | 77.6 | 26. 3 | 202.1 | | | | | | |
| 1200 | 0 | 77.9 | 26.5 | 198.1 | | | | | | |
| 1050 | 0 | 78.4 | 25.2 | 192.5 | 0.22 | 0.34 | 0.41 | 1.28 | . 07 | .002 |
| 900 | 0 | 78.8 | 26.8 | 193.8 | | | | | | |
| 750 | 0 | 79. 0 | 26. 5 | 194.0 | 0.10 | 0.20 | 0.37 | 3.81 | . 06 | . 002 |
| 600 | 40 | 79.1 | 25.5 | 191.7 | | | | | | |
| 450 | 1733 | 78.6 | 23.0 | 183.4 | 1.27 | 1.45 | 1.49 | . 20 | 71 | .003 |
| 300 | 2784 | 78.4 | 17.3 | 177.1 | | | | | | |
| 150 | 988 | 78.5 | 12.1 | 176.5 | 3.13 | 3. 95 | 4.12 | . 11 | 1.62 | .004 |
| 70 | 790 | 78.6 | 8.9 | 172.5 | | | | | | |
| 30 | 530 | 78.6 | 7.7 | 174.7 | 7.41 | 9.00 | 9.75 | | 3.70 | |
| SFC | 871 | | | | | | | | | |

Release at 450 feet above and 5.8 miles upwind of tower base

- (1) PARTICLE-MINUTES/CUBIC FOOT
- (2) (FEET/SECOND)²
- ③ (°F/100 FEET/MPH²)

| Height Above | Total Dosage | Height Above | Total Dosage |
|-----------------|-----------------|-----------------|-----------------|
| Base (FT) | (1) | Base (FT) | (1) |
| 1350 | 0 | 650 | 0 |
| 1250 | 0 | 550 | 81 |
| 1150 | 0 | 500 | 512 |
| 1100 | 0 | 400 | 3430 |
| 1000 | 0 | 350 | 3098 |
| 950 | 0 | 250 | 2469 |
| 850 | 4 | 200 | 2209 |
| 800 | 4 | 100 | 1904 |
| 700 | 0 | | |


¹ PARTICLE-MINUTES/CUBIC FOOT



I

I

Fig. II-49: SUMMARY OF TRIAL DATA, TRIAL 26, AUGUST 8, 1961, 0029 CST



I F

TRIAL 26; 0029 CST 8-8-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-50

TABLE II - 26

TRIAL 26

AUGUST 8, 1961

0029 CST

| Height | Total | Temp. | Wind | Wind | Verti | cal | - \ | Ri | Velocity | <u>Δθ</u> 2 |
|--------|-------|-------|-------|--------|-------|--------|----------------|-------|----------|----------------|
| Above | Dos- | - | Speed | Direc- | Sigma | a (DEC | 3) | No. | Vari- | 2 |
| Base | age | | | tion | | | | | ance | |
| (FT) | 1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 76. 1 | 25.9 | 205.7 | | | | | | |
| 1300 | 0 | 76. 2 | 28.4 | 198. 9 | | | | | | |
| 1200 | 0 | 76.4 | 30.1 | 196.6 | | | | | | |
| 1050 | 5 | 76.8 | 29.3 | 195.6 | 0.11 | 0.16 | 0.22 | 1.14 | .03 | .003 |
| 900 | 0 | 77.1 | 31.3 | 200.6 | | | | | | |
| 750 | 0 | 77.6 | 30.6 | 202. 1 | 0.14 | 0.25 | 0. 26 | 6. 50 | . 04 | . 003 |
| 600 | 0 | 77.4 | 31. 2 | 198.8 | | | | | | |
| 450 | 850 | 76.2 | 28.7 | 187. 4 | 1.14 | 1.16 | 1.01 | . 15 | . 55 | . 004 |
| 300 | 3037 | 76.0 | 22. 5 | 177.6 | | | | | | |
| 150 | 59 | 74.6 | 14.7 | 166. 8 | 1.44 | 1.55 | 1.50 | . 12 | . 32 | . 015 |
| 70 | 0 | 73.6 | 9. 7 | 155.7 | | | | | | |
| 30 | 0 | 73.4 | 7.0 | 156. 9 | 6.54 | 7.56 | 8.01 | | 2.07 | |
| SFC | 0 | | | | | | | | | |


Release at 450 feet above and 5.5 miles upwind of tower base

- (I) PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)

| Height | Total | Height | Total |
|-----------|--------|--------------|--------|
| Above | Dosage | Above | Dosage |
| Base (FT) | | Base (FT) | 1 |
| 1350 | 0 | 650 | 0 |
| 1250 | 0 | 550 | 0 |
| 1150 | 5 | 500 | 36 |
| 1100 | 0 | 400 | 1627 |
| 1000 | 0 | 350 | 2097 |
| 950 | 0 | 250 | 2784 |
| 850 | 0 | 200 | 931 |
| 800 | 0 | 100 | 0 |
| 700 | 0 | | |

¹ PARTICLE-MINUTES/CUBIC FOOT

Fig. II-51: SUMMARY OF TRIAL DATA, TRIAL 27, AUGUST 8, 1961, 0459 CST



SURFACE DOSAGE DISTRIBUTION

Fig. II-52

TABLE II - 27

TRIAL 27

AUGUST 8, 1961

0459 CST

| Height | Total | Temp. | Wind | Wind | Vertic | cal | | Ri | Velocity | Δθ |
|-------------|------------|---------|-------|---------|--------|-------|-------|---------|----------|---------|
| Above | Dos- | | Speed | Direc- | | (DEG) | ١ | No. | Vari- | <u></u> |
| Base | age | | | tion | | , | | | ance | u ¯ |
| (FT) | <u>(1)</u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | 3 |
| | | · · · · | | | | | | | | |
| 1420 | 0 | 77.1 | 19.1 | 213.4 | | | | | | |
| | | | | | | | | | | |
| 1300 | C | 77.2 | 21.2 | 212.2 | | | | | | |
| | | | | | | | | | | |
| 1200 | 0 | 77.2 | 22. 2 | 213.9 | | | | | | |
| | _ | | 1 | | | | | | | |
| 1050 | 0 | 77.0 | 22 6 | 220.1 | 0.17 | 0.18 | 0.24 | . 38 | . 02 | . 005 |
| 000 | 0 | "(0 | 2(2 | 335 / | | | | | | |
| 900 | U | 76. 9 | 26. 3 | 225.6 | | | | | | |
| 750 | 14 | 75.9 | 26.8 | 229. 0 | 0.18 | 0. 23 | 0.36 | 2. 52 | . 06 | . 004 |
| 100 | • • | 1 3. 7 | 20.0 | WW 71 V | 0. 10 | V. 23 | 0, 50 | | | |
| 600 | 101 | 74.8 | 24.3 | 220.8 | | | | | | |
| | | | | | | | | | | |
| 450 | 3957 | 74.3 | 22.7 | 209.1 | 0.79 | 0.83 | 0.86 | . 20 | . 25 | . 004 |
| | | | | | | | | | | |
| 300 | 1992 | 73.8 | 18.5 | 197.0 | | | | | | |
| | | | | | | | | | | |
| 150 | - * | 73.4 | 12.3 | 191.2 | 3.12 | 3.60 | 3.41 | 09 | 1.15 | . 008 |
| 7.0 | 150 | 70.3 | 0.1 | | | | | | | |
| 70 | 652 | 73.2 | 3.1 | 183. 9 | | | | | | |
| 30 | 652 | 73.2 | 5.9 | 178.5 | 8 40 | 10.78 | 11 10 | | 2.89 | |
| 30 | 0.72 | 2 ، د ، | J. 7 | 110.5 | 0.70 | 10.76 | 11.17 | | 2.07 | |
| SFC | 216 | | | | | | | | | |
| | | | | | | | | | | |

Release at 450 feet above and 6.8 miles upwind of tower base


- (I) PARTICLE-MINUTES/CUBIC FOOT
- (FEET/SECOND)²
- (°F/100 FEET/MPH²)

^{*} Sampler malfunction


| Height Above Base | Total Dosage | Height Above Base | Total Dosage |
|-------------------------|-----------------|-------------------------|-----------------|
| (FT) | 1) | (FT) | <u> </u> |
| 1350 | 0 | 650 | 0 |
| 1250 | 0 | 550 | 615 |
| 1150 | 0 | 500 | 3066 |
| 1100 | 0 | 400 | 4517 |
| 1000 | 0 | 350 | 2589 |
| 950 | 0 | 250 | 1138 |
| 850 | 32 | 200 | * |
| 800 | 14 | 100 | 496 |
| 700 | 0 | | |

① PARTICLE-MINUTES/CUBIC FOOT

^{*} Sampler malfunction



SUMMARY OF TRIAL DATA, TRIAL 28, AUGUST 9, 1961, 2039 CST Fig. II-53:



TRIAL 28; 2039 CST 8-9-61
SURFACE DOSAGE DISTRIBUTION

Fig. II-54

TABLE II - 28

TRIAL 28

AUGUST 9, 1961

2039 CST


| Height | Total | Temp. | Wind | Wind | Verti | | • . | Ri | Velocity | $\frac{\Delta\theta}{2}$ |
|---------------|-------------|---------|----------|----------------|-------|--------|--------|------|---------------|--------------------------|
| Above Base | Dos- age | | Speed | Direc- tion | Sigma | a (DEC | ž) | No. | Vari- ance | u ² |
| (FT) | 1 | (°F) | (MPH) | | 5 | 30 | 180 | • | (2) | (3) |
| <u>\</u> | | | <u> </u> | <u> </u> | | | | | | |
| 1420 | 0 | 78.2 | 22.8 | 176.1 | | | | | | |
| | | | _ | | | | | | | |
| 1300 | 0 | 78.8 | 25, 1 | 175.7 | | | | | | |
| 1200 | 0 | 79.3 | 26.6 | 172.1 | | | | | | |
| 1200 | Ū | 1 / 5 3 | 20,0 | 110.1 | | | | | | |
| 1050 | 0 | 80.0 | 26.5 | 168.2 | 0.22 | 0.35 | 0.56 | . 66 | .15 | . 0005 |
| | | | | | | | | | | |
| 900 | 479 | 80.7 | 27.6 | 169.6 | | | | | | |
| 750 | 526 | 81.4 | 25. 2 | 169.0 | 0, 60 | 0.73 | 0.85 | . 11 | . 30 | . 0008 |
| , 50 | 300 | •••• | | 10,10 | | | | | | |
| 600 | 780 | 82.1 | 23.8 | 170.8 | | | | | | |
| | | | | | | | | | | |
| 450 | 254 | 82.7 | 22.5 | 167.7 | 1.50 | 1.91 | 2,10 | . 09 | 1.47 | . 001 |
| 300 | 85 | 83.3 | 19.2 | 164.6 | | | | | | |
| 300 | 0.7 | 03, | 17.2 | 101.0 | | | | | | |
| 150 | 9 | 83.7 | 14.4 | 166.0 | 3.68 | 4.65 | 4.58 | . 06 | 2.84 | 003 |
| | | | | | | | | | | |
| 70 | 14 | 83.9 | 10.3 | 160.8 | | | | | | |
| 30 | 14 | 83.9 | 8.8 | 162.8 | 7 05 | 0 76 | 10.50 | | 5. 59 | |
| 30 | 7.44 | 03.7 | 0.0 | 102.0 | 1.73 | 7.10 | 10. 50 | | 9. 97 | |
| SFC | 0 | | | | | | | | | |

Release at 750 feet above and 5.7 miles upwind of tower base


- (1) PARTICLE-MINUTES/CUBIC FOOT
- (FEET/SECOND)²
- (°F/100 FEET/MPH²)

| Height Above | Total Dosage | Height Above | Total Dosage |
|-----------------|-----------------|---------------------------------------|-----------------|
| Base (FT) | (1) | $\frac{\mathtt{Base}}{(\mathtt{FT})}$ | (1) |
| 1350 | 0 | 650 | 1119 |
| 1250 | 0 | 550 | 136 |
| 1150 | 0 | 500 | 230 |
| 1100 | 0 | 400 | 188 |
| 1000 | 0 | 350 | 146 |
| 950 | 183 | 250 | 38 |
| 850 | 423 | 200 | 24 |
| 800 | 498 | 100 | 0 |
| 700 | 1222 | | |

① PARTICLE-MINUTES/CUBIC FOOT



SUMMARY OF TRIAL DATA, TRIAL 29, AUGUST 9, 1961, 2359 CST Fig. II-55:



TRIAL 29; 2359 CST 8-9-61
SURFACE DOSAGE DISTRIBUTION

Fig. II-56

TABLE II - 29

TRIAL 29

AUGUST 9, 1961

2359 CST

| Height Above Base | Total Dos- age | Temp | Wind Speed | Wind Direc- tion | Vertic Sigma | cal (DEG) | | No. V | elocity ari= nce | $\frac{\Delta\theta}{u^2}$ |
|-------------------------|----------------|-------|---------------|------------------------|-----------------|--------------|------|-------|------------------------|----------------------------|
| (FT) | <u>(1)</u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 76.3 | 25.5 | 212.2 | | | | | | |
| 1300 | 0 | 76.3 | 28.2 | 208.1 | | | | | | |
| 1200 | 9 | 76.3 | 29.7 | 203.7 | | | | | | |
| 1050 | 0 | 77.0 | 29.7 | 201.3 | 0.21 | 0.31 | 0.45 | 1.05 | . 12 | .001 |
| 900 | 3040 | 77.0 | 31.4 | 201.4 | | | | | | |
| 750 | 3613 | 76.8 | 28.7 | 196.7 | 0.67 | 0.75 | 0.77 | .32 | . 32 | .0008 |
| 600 | 1294 | 76.9 | 26.5 | 192.2 | | | | | | |
| 450 | _ h | 77.2 | 23.9 | 185.2 | 2.02 | 2.47 | 2.36 | .09 | 2.09 | .001 |
| 300 | 351 | 77.8 | 19.7 | 180.9 | | | | | | |
| 150 | 65 | 78, 2 | 15.0 | 181.0 | 3.70 | 4.58 | 4.53 | .05 | 3.03 | .002 |
| 70 | 116 | 78.4 | 10.4 | 178.3 | | | | | | |
| 30 | 42 | 78.5 | 9.0 | 177.4 | 7.29 | 9.00 | 9.36 | | 4.65 | |
| SFC | 51 | | | | | | | | | |

Release at 750 feet above and 6.2 miles upwind of tower base

- 1 PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)

^{*} Sampler malfunction

| Height | Total | Height | Total |
|--------|--------|--------|----------|
| Above | Dosage | Above | Dosage |
| Base | | Base | _ |
| (FT) | (1) | (FT) | <u> </u> |
| 1350 | 0 | 650 | 1451 |
| 1250 | 0 | 550 | 245 |
| 1150 | 0 | 500 | 79 |
| 1100 | 0 | 400 | 462 |
| 1000 | 0 | 350 | 545 |
| 950 | 51 | 250 | 129 |
| 850 | 2319 | 200 | 79 |
| 800 | 1460 | 100 | 79 |
| 700 | 628 | | |

⁽I) PARTICLE-MINUTES/CUBIC FOOT





Fig. II-57: SUMMARY OF TRIAL DATA, TRIAL 30, AUGUST 10, 1961, 0354 CST



TRIAL 30; 0354 CST 8-10-61 SURFACE DOSAGE DISTRIBUTION

TABLE II - 30

TRIAL 30

AUGUST 10, 1961

0354 CST


| Height | Total | Temp | Wind | Wind | Verti | cal | · · · · · · · · · · · · · · · · · · · | Ri V | elocity | Δθ |
|--------|------------|--------|-------|--------|-------|---------|---------------------------------------|--------|---------|-----------------|
| Above | Dos- | | Speed | Direc- | Sigma | a (DEG) | | No. Va | ari- | $\frac{1}{u^2}$ |
| Base | age | | | lion | | | | ar | ce | |
| (FT) | <u>(i)</u> | (°F) (| MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 73.7 | 27.3 | 219.2 | | | | | | |
| 1300 | 0 | 73.8 | 29.3 | 217.0 | | | | | | |
| 1200 | 0 | 74.6 | 30.1 | 217.5 | | | | | | |
| 1050 | 0 | 74.0 | 29.7 | 222.0 | 0.20 | 0.30 | 0.37 | 2.33 | .08 | .001 |
| 900 | 0 | 73.6 | 31.4 | 212.6 | | | | * | | |
| 750 | 140 | 73.1 | 28.8 | 205.3 | 0.57 | 0.66 | 0.58 | . 29 | . 18 | .001 |
| 600 | 1479 | 73.3 | 27.1 | 200.2 | | | | | | |
| 450 | 4783 | 73.5 | 25.3 | 194.0 | 1.67 | 2.10 | 1.95 | . 09 | 1.59 | .001 |
| 300 | 566 | 74.0 | 18.9 | 189.6 | | | | | | |
| 150 | 398 | 74.2 | 15.1 | 187.8 | 3.60 | 4.59 | 4.32 | .08 | 2.78 | .004 |
| 70 | 215 | 74.3 | 11.1 | 184.1 | | | | | | |
| 30 | 66 | 74.3 | 8.2 | 183.8 | 8.71 | 10.70 | 11.10 | | 5.40 | |
| SFC | 131 | | | | | | | | | |

Release at 450 feet above and 3.5 miles upwind of tower base


- T PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)

| Height Above Base | Total Dosage | Height Above Base | Total Dosage | |
|-------------------------|-----------------|-------------------------|-----------------|--|
| (FT) | (1) | (FT) | 1 | |
| 1350 | 0 | 650 | 636 | |
| 1250 | 0 | 550 | 1198 | |
| 1150 | 0 | 500 | 1788 | |
| 1100 | 0 | 400 | 2789 | |
| 1000 | 0 | 350 | 1629 | |
| 950 | 0 | 250 | 477 | |
| 850 | 9 | 200 | 300 | |
| 800 | 19 | 100 | 239 | |
| 700 | 61 | | | |

¹ PARTICLE-MINUTES/CUBIC FOOT



SUMMARY OF TRIAL DATA, TRIAL 31, AUGUST 11, 1961, 2024 CST Fig. II-59:



TRIAL 31; 2024 CST 8-11-61 SURFACE DOSAGE DISTRIBUTION

Fig. II-60

TRIAL 31

AUGUST 11, 1961

2024 CST

| Height | | Temp | Wind | Wind | Verti | | | | locity | Δθ |
|---------------|---------|------|-------|---------------|---------------------------------------|-------|------|--------|--------|----------------|
| Above Base | Dos - | | Speed | Direc- | Sigma | (DEG) | | No. Va | | u ² |
| (FT) | age (1) | (°F) | (MPH) | tion (DEG) | 5 | 30 | 180 | an | (2) | (3) |
| | | | | | · · · · · · · · · · · · · · · · · · · | | | | | |
| 1420 | 42 | 79.1 | 19.5 | 183.2 | | | | | | |
| 1300 | 453 | 79.8 | 21.1 | 180.8 | | | | | | |
| 1200 | 1238 | 80.3 | 22.0 | 179.1 | | | | | | |
| 1050 | 527 | 81.1 | 21,6 | 180.4 | 0.16 | 0.17 | 0.26 | 1.06 | .02 | .001 |
| 900 | 1543 | 81.9 | 22.8 | 178.2 | | | | | | |
| 750 | 9 | 82.7 | 22. 2 | 178.7 | 0.32 | 0.51 | 0.52 | 1.22 | .09 | .001 |
| 600 | 0 | 83,3 | 21.8 | 179.1 | | | | | | |
| 450 | 23 | 83.8 | 21.3 | 177.0 | 1,35 | 1 65 | 1.48 | . 15 | . 65 | .002 |
| 300 | 0 * | 84.4 | 16.5 | 174.6 | | | | | | |
| 150 | 0 | 84.7 | 12.7 | 176.2 | 3.18 | 4.05 | 4.22 | .11 | 1.88 | .006 |
| 70 | 5 | 84.6 | 7.0 | 172.3 | | | | | | |
| 30 | 0 | 84.6 | 7. 1 | 174.4 | 7.11 | 8.82 | 9.42 | | 2. 92 | |
| SFC | 0 | | | | | | | | | |

Release at 1050 feet above and 6.3 miles upwind of tower base


- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)

^{*} Possible sampler malfunction


| Height | T'otal | Height | Total |
|--------|--------|--------|--------|
| Above | Dosage | Above | Dosage |
| Base | | Base | |
| (FT) | 1) | (FT) | 1 |
| 1350 | 129 | 650 | 0 |
| 1250 | 1876 | 550 | 23 |
| 1150 | 1395 | 500 | 0 |
| 1100 | 1127 | 400 | 0 |
| 1000 | 286 | 350 | 9* |
| 950 | 989 | 250 | 0 * |
| 850 | 157 | 200 | 5 |
| 800 | 5 | 100 | 0 |
| 700 | 0 | | |

¹ PARTICLE-MINUTES/CUBIC FOOT

^{*} Possible sampler malfunction



SUMMARY OF TRIAL DATA, TRIAL 32, AUGUST 11, 1961, 2359 CST Fig. II-61:



TRIAL 32; 2359 CST 8-11-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-62

TABLE II - 32

TRIAL 32

AUGUST 11, 1961

2359 CST


| Height Above | Dos- | Temp | Wind Speed | Wind Direc- | Vertic Sigma | al (DEG) | | No. Va | | <u>Δθ</u> 2. |
|-----------------|----------|------|---------------|----------------|-----------------|-------------|-------|-------------|---------|-----------------|
| Base (FT) | age (1) | (°F) | (MPH) | tion (DEG) | 5 | 30 | 180 | an | (2) | (3) |
| <u>(F 1)</u> | <u> </u> | ('F) | (IV.I PI) | (DECI) | | 30 | 160 | | <u></u> | |
| 1420 | 5 | 76.7 | 22.0 | 196.8 | | | | | | |
| 1300 | 0 | 77.3 | 23.9 | 192.9 | | | | | | |
| 1200 | 5 | 77.8 | 24.6 | 190.6 | | | | | | |
| 1050 | 0 | 78.5 | 23.5 | 188.9 | 0.10 | 0.10 | 0.10 | 3.40 | .003 | .002 |
| 900 | 0 | 79.2 | 24.3 | 191.6 | | | | | | |
| 750 | 6955 | 79.6 | 23.6 | 194.4 | 0.11 | 0.16 | 0.24 | . 63 | .02 | .003 |
| 600 | 5 | 79.8 | 24.9 | 200.0 | | | | | | |
| 450 | 0 | 79.4 | 22.3 | 194.9 | 0.99 | 1.12 | 0.97 | . 21 | .31 | .003 |
| 300 | 10 | 79.4 | 16.9 | 188.0 | | | | | | |
| 150 | 14 | 79.4 | 11.1 | 188.8 | 3.18 | 4.04 | 4.05 | .09 | 1.33 | .008 |
| 70 | 10 | 79.4 | 7.3 | 188.3 | | | | | | |
| 30 | 0 | 79.4 | 5.8 | 185.9 | 8.10 | 9.75 | 10.32 | | 2.34 | |
| SFC | 0 | | | | | | | | | |

Release at 750 feet above and 5.8 miles upwind of tower base

- (I) PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (°F/100 FEET/MPH²)

| Height Above | Total Dosage | Height Above Base | Total Dosage |
|-----------------|-----------------|-------------------------|-----------------|
| Base (FT) | 1 | (FT) | (1) |
| 1350 | 10 | 650 | 553 |
| 1250 | 0 | 550 | 0 |
| 1150 | 5 | 500 | 0 |
| 1100 | 0 | 400 | 0 |
| 1000 | 0 | 350 | 5 |
| 950 | 24 | 250 | 24 |
| 850 | 48 | 200 | 0 |
| 800 | 1886 | 100 | 24 |
| 700 | 779 | | |

PARTICLE-MINUTES/CUBIC FOOT



1

Fig. II-63: SUMMARY OF TRIAL DATA, TRIAL 33, AUGUST 12, 1961, 0329 CST




Fig. II-64

TABLE II - 33

TRIAL 33

AUGUST 12, 1961

0329 CST

| Height | | Temp | Wind | Wind | Verti | cal | | Ri V | elocity | Δθ |
|--------|------|------|-------|--------|-------|---------|--------|-------|---------|----------------------------|
| Above | Dos- | | Speed | Direc- | Sigma | a (DEG) | | No. V | ari- | $\frac{\overline{2}}{u^2}$ |
| Base | age | | | tion | | | | ar | ice | |
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | (3) |
| 1420 | 0 | 75.3 | 22.4 | 217.2 | | | | r | | |
| 1300 | 0 | 75.7 | 23.9 | 214.8 | | | | | | |
| 1200 | 9 | 76.0 | 25.1 | 212.5 | | | | | | |
| 1050 | 9 | 76.4 | 24.4 | 215.3 | 0.10 | 0.11 | 0.18 | 3.40 | .01 | .002 |
| 900 | 42 | 76.8 | 25.8 | 215.1 | | | | | | |
| 750 | 0 | 76.8 | 25.3 | 216.9 | 0.15 | 0.19 | 0.24 | . 59 | .02 | .003 |
| 600 | 32 | 77.8 | 26.5 | 220.7 | | | | | | |
| 450 | 5211 | 77.4 | 25.5 | 223.5 | 0.25 | 0.36 | 0.39 | .82 | .06 | .003 |
| 300 | 896 | 76.6 | 21.0 | 218.9 | | | | | | |
| 150 | 51 | 76.2 | 15.2 | 217.9 | 2.40 | 2.82 | 2.85 | .09 | 1. 23 | .007 |
| 70 | 245 | 75.9 | 10.7 | 217.8 | | | | | | |
| 30 | 402 | 75.8 | 7.0 | 216.9 | 8.40 | 10.80 | 11. 17 | | 4.03 | |
| SFC | 240 | | | | | | | | | |

Release at 450 feet above and 6.1 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)

| Height Above Base | Total Dosage | Height Above Base | Total Dosage |
|-------------------------|-----------------|-------------------------|-----------------|
| (FT) | (1) | (FT) | <u>(1)</u> |
| 1350 | 0 | 650 | 0 |
| 1250 | 0 | 550 | 92 |
| 1150 | 5 | 500 | 2134 |
| 1100 | 0 | 400 | 2476 |
| 1000 | 0 | 350 | 924 |
| 950 | 0 | 250 | 776 |
| 850 | 0 | 200 | 573 |
| 800 | 60 | 100 | 379 |
| 700 | 0 | | |

① PARTICLE-MINUTES/CUBIC FOOT





Fig. II-65: SUMMARY OF TRIAL DATA, TRIAL 34, AUGUST 14, 1961, 2349 CST





ABOVE THE TOWER BASE

TRIAL 34; 2349 CST 8-14-61
SURFACE DOSAGE DISTRIBUTION

Fig. II-66

TABLE II - 34

TRIAL 34

AUGUST 14, 1961

2349 CST

| Height Above | Total Dos- | Temp | Wind Speed | Wind Direc- | | cal Sign EG) | na | Ri Vel No. Van | ocity | $\frac{\Delta\theta}{u^2}$ |
|-----------------|---------------|-------|----------------|----------------|------|-----------------|------|-------------------|-------|----------------------------|
| Base | | | ppeed | tion | (13) | 2 0, | | anc | | u ² |
| (FT) | age (l) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | 3 |
| 1420 | 0 | 74.4 | 22.7 | 180.0 | | · | | | | |
| 1300 | 0 | 74.6 | 25.0 | 178.7 | | | | | | |
| 1500 | V | 1 2.0 | <i>ω σ</i> • 0 | *10., | | | | | | |
| 1200 | 0 | 74.8 | 26.1 | 175.8 | | | | | | |
| 1050 | 0 | 74.9 | 24.9 | 175.5 | 0.11 | 0.09 | 0.15 | 6.31 | .01 | .004 |
| 900 | 0 | 74.1 | 24.5 | 174.2 | | | | | | |
| 750 | 0 | 73.6 | 21.2 | 175.1 | 0.27 | 0.37 | 0.45 | . 55 | .06 | .005 |
| 600 | 1601 | 73.2 | 18.4 | 175.8 | | | | | | |
| 450 | 300 | 72.9 | 16, 5 | 167.7 | 0.15 | 0.17 | 0.22 | .41 | .01 | .009 |
| 300 | 0 | 72.5 | 12.3 | 162.2 | | | | | | |
| 150 | 0 | 72.1 | 7.7 | 161.0 | 0.74 | 0.90 | 1.05 | . 23 | .04 | .004 |
| 70 | 33 * | 71.9 | 4.2 | 151.7 | | | | | | |
| 30 | 14 | 71.5 | 3.2 | 156.1 | 3.90 | 4.59 | 4.95 | | . 16 | |
| SFC | 0 | | | | | | | | | |

Release at 450 feet above and 6.5 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (°F/100 FEET/MPH²)

^{*} Possible sampler malfunction

| Height | Total | Height | Total |
|--------|--------|--------|--------|
| Above | Dosage | Above | Dosage |
| Base | | Base | |
| (FT) | 0 | (FT) | (1) |
| 1350 | 0 | 650 | 0 |
| 1250 | 0 | 550 | 3501 |
| 1150 | 0 | 500 | 2677 |
| 1100 | 23 | 400 | 14 |
| 1000 | 0 | 350 | 0 |
| 950 | 33 | 250 | 0 |
| 850 | 5 | 200 | 23 |
| 800 | 0 | 100 | 0 * |
| 700 | 9 | | |

PARTICLE-MINUTES/CUBIC FOOT

^{*} Possible sampler malfunction




Fig. II-67: SUMMARY OF TRIAL DATA, TRIAL 35, AUGUST 16, 1961, 2054 CST

RELEASE PATH AT 450 FT ABOVE THE TOWER BASE RELEASE HEIGHT WIND DIRECTION (1) 142 **@**209 **482** 1208 - LEGEND -**(5) 1375** Tower Site ●1141 **@**1267 -Rotorod Sampler No. -Rotorod Sampler Location ●1744 -Total Dosage ●1151 particle-minutes) (10) •1922 cubic feet ●1847 Scale: 1/4 in. = 1 mile ●1000 ●828 ● 2444 (15) •2897 - NORTH ●2913 ●1023 ●832 ●857 (20) •967 ●1342 ● 1308 ●1695 **●**1873 (25) •2117 ●1928 **5**09 **●220** ●204 $(30) \oplus 186$ ●218 TRIAL 35; 2054 CST 8-16-61

SURFACE DOSAGE DISTRIBUTION

Fig. II-68

TRIAL 35

AUGUST 16, 1961

2054 CST

| Height | Total | Temp. | Wind | Wind | Vertic | a). | | Ri Vel | ocity | Δθ |
|--------|-------|-------|-------|--------|--------|-------|------|---------|-------|----------------------------|
| Above | Dos- | • | Speed | Direc- | Sigma | (DEG) | | No. Var | • | $\frac{\Delta\theta}{u^2}$ |
| Base | age | | | tion | | | | anc | | |
| (FT) | (1) | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | (2) | 3 |
| 1420 | 0 | 75.7 | 17.3 | 100.7 | | | | | | |
| 1300 | 0 | 75.7 | 18, 2 | 104.4 | | | | | | |
| 1200 | 4 | 75.7 | 19.1 | 099.7 | | | | | | |
| 1050 | 0 | 75.5 | 19.0 | 096.3 | 0.15 | 0.16 | 0.30 | 1.64 | .02 | .003 |
| 900 | 0 | 74.9 | 21.2 | 092.6 | | | | | | |
| 750 | 0 | 74.3 | 21.8 | 094.6 | 0.09 | 0.15 | 0.22 | 21. 25 | .01 | .002 |
| 600 | 0 | 74.1 | 20.7 | 090.8 | | | | | | |
| 450 | 766 | 74.4 | 20.5 | 088.2 | 0.49 | 0.73 | 0.66 | . 98 | . 12 | .002 |
| 300 | * | 74.4 | 17.7 | 088.7 | | | | | | |
| 150 | 1209 | 74.8 | 13.6 | 094.4 | 3.36 | 4.27 | 4.42 | . 07 | 2, 35 | .003 |
| 70 | 1288 | 75.1 | 10.9 | 092.3 | | | | | | |
| 30 | 1183 | 75.1 | 8.5 | 091.7 | 6.60 | 8.14 | 8.48 | | 3.42 | |
| SFC | 1174 | | | | | | | | | |

Release at 450 feet above and 5.7 miles upwind of tower base

- T PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (°F/100 FEET/MPH²)

^{*} Sampler malfunction

| Height Above Base | Total Dosage | Height Above Base | Total Dosage |
|-------------------------|-----------------|-------------------------|-----------------|
| (FT) | 0 | (FT) | Φ_ |
| 1350 | 0 | 650 | 0 |
| 1250 | 0 | 550 | 0 |
| 1150 | 0 | 500 | 57 |
| 1100 | 0 | 400 | 5020 |
| 1000 | 0 | 3 50 | · * |
| 950 | 0 | 250 | <u>.</u> * |
| 850 | 0 | 200 | 2471 |
| 800 | 0 | 100 | 1575 |
| 700 | 0 | | |

① PARTICLE-MINUTES/CUBIC FOOT

^{*} Sampler malfunction





Fig. II-69: SUMMARY OF TRIAL DATA, TRIAL 36, AUGUST 17, 1961, 0029 CST



SURFACE DOSAGE DISTRIBUTION

Fig. II-70

TRIAL 36

AUGUST 17, 1961

0029 CST

| Heigh | | Temp. | Wind | Wind | Vertic | | | | Velocity | <u>Δ()</u> |
|---------------|------------|-------|-------|----------------|--------|-------|-------------|-----|---------------|------------|
| Above Base | Dos- | | Speed | Direc- tion | aigma | (DEG) | | NO. | Vari- ance | 2 |
| (FT) | <u> </u> | (°F) | (MPH) | (DEG) | 5 | 30 | 180 | | 2 | <u>(3)</u> |
| 1420 | 0 | 73.7 | 9.8 | 142, 1 | | | | | | |
| 1300 | 0 | 73.9 | 10.0 | 150.2 | | | | | | |
| 1200 | 23 | 73.8 | 11.8 | 135.2 | | | | | | |
| 1050 | 0 | 72.5 | 13.3 | 129.8 | 0.25 | 0.32 | 0.45 | 1. | 17 .02 | .009 |
| 900 | 5 | 72.3 | 15. 2 | 127.5 | | | | | | |
| 750 | 4 £ | 72.6 | 15.4 | 126.0 | 0.21 | 0.19 | 0.24 | 3. | 83 .01 | .008 |
| 600 | 0 | 72.1 | 12.5 | 127.0 | | | | | | |
| 450 | 1704 | 71.7 | 12.3 | 120.5 | 0.22 | 0.28 | 0.34 | • | 78 .01 | .010 |
| 300 | 366 | 71.3 | 13.3 | 102.4 | | | | | | |
| 150 | 32 | 70.9 | 10.8 | 091.8 | 2.82 | 3.34 | 3.22 | • | 24 .79 | . 010 |
| 70 | 0 | 70.8 | 7.3 | 089.3 | | | | | | |
| 30 | 0 | 70.8 | 4.9 | 086.5 | 6.66 | 8.64 | 8.40 | | 1.11 | |
| SFC | 0 | | | | | | | | | |

Release at 450 feet above and 6.2 miles upwind of tower base

- 1) PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (°F/100 FEET/MPH²)

| Height | Total | Height | Total |
|--------|------------|--------|--------|
| Above | Dosage | Above | Dosage |
| Base | | Base | |
| (FT) | <u>(1)</u> | (FT) | Œ. |
| 1350 | 0 | 650 | 114 |
| 1250 | - * | 550 | 119 |
| 1150 | 0 | 500 | 7154 |
| 1100 | 0 | 400 | 2107 |
| 1000 | 0 | 350 | 1255 |
| 950 | 678 | 250 | 137 |
| 850 | 311 | 200 | 183 |
| 800 | 32 | 100 | 27 |
| 700 | 32 | | · |

① PARTICLE-MINUTES/CUBIC FOOT

^{*} Sampler malfunction

| Height | Total | Height | Total |
|--------|----------|--------|--------|
| Above | Dosage | Above | Josage |
| Base | | Base | |
| (FT) | <u> </u> | (FT) | 0 |
| 1350 | O | 650 | 114 |
| 1250 | - # | 550 | 119 |
| 1150 | 0 | 500 | 7154 |
| 1100 | 0 | 400 | 2107 |
| 1000 | 0 | 350 | 1255 |
| 950 | 678 | 250 | 137 |
| 850 | 311 | 200 | 183 |
| 800 | 32 | 100 | 27 |
| 700 | 32 | | |

(I) PARTICLE-MINUTES/CUBIC FOOT

^{*} Sampler malfunction





Fig. II-71: SUMMARY OF TRIAL DATA, TRIAL 37, AUGUST 18, 1961, 2019 CST



1

1

TRIAL 37; 2019 CST 8-18-61 SURFACE DOSAGE DISTRIBUTION

TABLE II - 37

TRIAL 37

AUGUST 18, 1961

2019 CST


| Height | Dos- | - | | Wind Direc- | Vertica Sigma | | | Ri. No. | Velocity Variance | $\frac{\Delta\theta}{u^2}$ |
|--------------|----------|---------|------|----------------|------------------|-------|-------------|------------|----------------------|----------------------------|
| Base (FT) | age ① | (°F) (M | PH) | tion (DEG) | 5 | 30 | 180 | | ② | 3 |
| 1420 | 0 | 2.1 | . 2 | 094.8 | | | | | | |
| 1300 | 0 | 20 | . 8 | 099.4 | | | | | | |
| 1200 | 0 | 21 | . 9 | 100.5 | | | | | | |
| 1050 | 0 | 21 | 1.1 | 101.0 | 0.22 | 0.26 | 0.28 | | .02 | |
| 900 | 0 | 21 | 1.7 | 100.6 | | | | | | |
| 750 | 0 | 21 | 0 | 100.3 | 0.22 | 0.30 | 0.38 | | .04 | |
| 600 | 60 | 20 | .4 | 101.6 | | | | | | |
| 450 | 3557 | 19 | 3.3 | 101.1 | 0.32 | 0.52 | 0.67 | | .11 | |
| 300 | 1515 | 15 | 5. 5 | 094.3 | | | | | | |
| 150 | 226 | 12 | 2.7 | 099.4 | 1.95 | 2. 28 | 2.40 | | .61 | |
| 70 | 18 | 10 | 1.1 | 096.6 | | | | | | |
| 30 | 9 | 7 | . 3 | 095.9 | 6.35 | 7.95 | 7.80 | | 2.12 | |
| SFC | 5 | | | | | | | | | |

Release at 450 feet above and 4.1 miles upwind of tower base

- ① PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- ③ (*F/100 FEET/MPH²)

| Height Above | Total Dosage | Height Above | Total |
|-----------------|-----------------|-----------------|--------|
| Base | 200450 | Base | Dosage |
| (FT) | <u> </u> | (FT) | 0 |
| 1350 | 0 | 650 | 0 |
| 1250 | 0 | 550 | 4010 |
| 1150 | 0 | 500 | 2458 |
| 1100 | 0 | 400 | 3336 |
| 1000 | 0 | 350 | 3336 |
| 950 | 0 | 250 | 2051 |
| 850 | 0 | 200 | 1663 |
| 800 | 0 | 100 | 69 |
| 700 | 0 | | |


① PARTICLE-MINUTES/CUBIC FOOT



1

ł

Fig. II-73: SUMMARY OF TRIAL DATA, TRIAL 38, AUGUST 19, 1961, 0005 CST



TRIAL 38; 0005 CST 8-19-61
SURFACE DOSAGE DISTRIBUTION

| \mathbf{T} | R. | Ţ | Α | Ţ | 3 | |
|--------------|----|---|---|---|---|--|
| | | | | | | |

AUGUST 19, 1961

0005 CST

| Height Above Base | Total Dos- age | Temp, | Wind Speed | Wind Direc- tion | Vert Sigm | ical a (DE | G) | Ri No. | Velocity Vari- ance | $\frac{\Delta\theta}{u^2}$ |
|-------------------------|----------------------|-------|---------------|------------------------|--------------|---------------|-------|---------------------------------------|---------------------------|----------------------------|
| (FT) | (ì) | (°F) | (MPH) | | 5 | 30 | 180 | · · · · · · · · · · · · · · · · · · · | ② | (3) |
| 1420 | 0 | | | | | | | | | |
| 1300 | 0 | | | | | | | | | |
| 1200 | 0 | | | | | | | | | |
| 1050 | 0 | | | | 0.14 | 0.21 | 0.30 | | | |
| 900 | 0 | | | | | | | | | |
| 750 | 0 | | | | 0.15 | 0.28 | 0.34 | | | |
| 600 | 0 | | | | | | | | | |
| 450 | 1304 | | | | 0.76 | 0.89 | 0.94 | | | |
| 300 | 4617 | | | | | | | | | |
| 150 | 809 | | | | 1. 53 | 2.06 | 2. 10 | | | |
| 70 | 124 | | | | | | | | | |
| 30 | 95 | | | | 6.54 | 8.55 | 8.16 | | | |
| FC. | 57 | | | | | | | | | |

Release at 450 feet above and 4.1 miles upwind of tower base

- (I) PARTICLE-MINUTES/CUBIC FOOT
- ② (FEET/SECOND)²
- (3) (°F/100 FEET/MPH²)

| Height Above Base | Total Dosage | Height Above Base | Total Dosage |
|-------------------------|-----------------|-------------------------|-----------------|
| (FT) | | (FT) | (1) |
| 1350 | 0 | 650 | 0 |
| 1250 | 0 | 550 | 157 |
| 1150 | 0 | 500 | 877 |
| 1100 | 0 | 400 | 4798 |
| 1000 | 0 | 350 | 7768 |
| 950 | 0 | 250 | 4446 |
| 850 | 0 | 200 | 3247 |
| 800 | 0 | 100 | 348 |
| 700 | O | | |

⁽¹⁾ PARTICLE-MINUTES/CUBIC FOOT